

## CRU Prices

Carbon Steel  
Methodology and  
Definitions Guide

August 2025

|   |           |
|---|-----------|
| CRU Prices.....   | 1         |
| <b>Methodology and Definitions Guide - Steel .....</b>                                    | <b>6</b>  |
| 1 Scope.....  | 6         |
| 2 Methodology.....  | 6         |
| 2.1 Flat Products Methodology.....  | 6         |
| 2.2 Indicators .....  | 10        |
| 2.3 China Steel Methodology .....   | 11        |
| 2.4 Standard Steel Methodology .....  | 12        |
| 2.5 Landed Import Prices Methodology .....  | 13        |
| 3 Definitions.....  | 14        |
| <b>North American Market Prices .....</b>   | <b>14</b> |
| USA, Midwest; HR coil FOB mill .....  | 14        |
| USA, Midwest; CR Coil FOB mill .....  | 14        |
| USA, Midwest; HDG coil FOB mill .....   | 14        |
| USA, Midwest; HDG coil (base) FOB mill.....   | 14        |
| USA, Midwest; HDG coil (base) FOB mill (substrate thickness .07 inches and thicker) ..... | 15        |
| USA, Midwest; HDG coil (base) FOB mill (substrate thickness less than .07 inches) .....   | 15        |
| USA, Midwest; HDG coil (coating extra) .....  | 15        |
| USA, Midwest; HDG coil Premium .....  | 15        |
| USA, Midwest; EG coil, FOB mill <i>[Discontinued]</i> .....                               | 15        |
| USA, Midwest; Plate, FOB mill .....   | 16        |
| USA, Midwest; Rebar, FOB mill.....  | 16        |
| USA, Midwest; LC Wire rod (mesh quality, <0.23%C), FOB mill.....                          | 16        |
| USA, Midwest; HC wire rod (0.45 - 0.70% C), FOB mill .....                                | 16        |
| USA, Midwest; HC wire rod (tyre cord), FOB mill <i>[Discontinued]</i> .....               | 17        |
| USA, Midwest; HC wire rod (tyre cord), delivered.....                                     | 17        |
| USA, Midwest; Merchant bar, FOB mill .....  | 17        |
| USA, Midwest; Structurals, FOB mill.....  | 17        |
| USA, West Coast; HR coil, FOB mill <i>[Discontinued]</i> .....                            | 18        |
| USA, West Coast; CR coil, FOB mill <i>[Discontinued]</i> .....                            | 18        |
| USA, West Coast; HDG coil, FOB mill <i>[Discontinued]</i> .....                           | 18        |
| USA, Gulf Coast; HR coil, FOB mill <i>[Discontinued]</i> .....                            | 18        |
| USA, Gulf Coast; CR coil, FOB mill <i>[Discontinued]</i> .....                            | 18        |
| USA, Gulf Coast; HDG coil, FOB mill <i>[Discontinued]</i> .....                           | 19        |
| USA, Import; Slab, CFR <i>[Discontinued]</i> .....  | 19        |
| USA, Import; Billet, CFR <i>[Discontinued]</i> .....                                      | 19        |
| Mexico; HR coil, ex-warehouse.....  | 19        |
| Mexico; CR coil, ex-warehouse .....   | 20        |
| Mexico; Rebar, ex-warehouse .....   | 20        |
| Mexico; LC wire rod, ex-warehouse.....  | 20        |
| <b>Central and South American Market Prices.....</b>                                      | <b>20</b> |
| Brazil; HR coil, ex-SE Brazil warehouse .....   | 20        |
| Brazil; CR coil, ex-SE Brazil warehouse.....  | 20        |
| Brazil, Export; Slab, FOB.....  | 21        |
| Brazil, Export; HR coil, FOB .....  | 21        |
| Brazil, Export; CR coil, FOB.....   | 21        |
| Brazil, Export; Billet, FOB .....   | 21        |
| Brazil, Export; Rebar, FOB .....  | 22        |
| Brazil, Export; LC wire rod, FOB .....  | 22        |
| <b>European Market Prices.....</b>  | <b>22</b> |
| Europe, HR coil, CRUsteav (Best in Class BF-BOF).....                                     | 22        |
| Europe, HR coil, CRUsteav (NG-DRI-EAF) .....  | 22        |
| Europe, HR coil, CRUsteav (Scrap EAF) .....   | 23        |

|  |    |
|--|----|
| Europe, HR coil, CRUsteav (Full Abatement) .....           | 23 |
| Germany; HR coil, parity point.....                        | 23 |
| Germany; CR coil, parity point .....                       | 23 |
| Germany; HDG coil, parity point.....                       | 24 |
| Germany; HDG coil (base), parity point .....               | 24 |
| Germany; HDG coil (coating extra) .....                    | 24 |
| Germany; EG coil, parity point <i>[Discontinued]</i> ..... | 24 |
| Germany; Plate, delivered .....                            | 24 |
| Germany; Rebar, delivered .....                            | 25 |
| Germany; LC wire rod, delivered .....                      | 25 |
| Germany; HC wire rod, delivered .....                      | 25 |
| Germany; Merchant bar, delivered .....                     | 25 |
| Germany; Structurals, delivered .....                      | 26 |
| France; HR coil, parity point.....                         | 26 |
| France; CR coil, parity point .....                        | 26 |
| France; HDG coil, parity point.....                        | 26 |
| France; HC wire rod, delivered .....                       | 26 |
| UK; HR coil, parity point.....                             | 27 |
| UK; CR coil, parity point .....                            | 27 |
| UK; HDG coil, parity point .....                           | 27 |
| UK; Plate, delivered.....                                  | 27 |
| UK; Rebar, delivered .....                                 | 27 |
| UK; LC wire rod, delivered .....                           | 28 |
| UK; HC wire rod, delivered.....                            | 28 |
| UK; Structurals, delivered .....                           | 28 |
| Italy; HR coil, parity point.....                          | 28 |
| Italy; CR coil, parity point.....                          | 29 |
| Italy; HDG coil, parity point.....                         | 29 |
| Italy; HDG coil (base), parity point .....                 | 29 |
| Italy; HDG coil (coating extra) .....                      | 29 |
| Italy; EG coil, parity point <i>[Discontinued]</i> .....   | 29 |
| Italy; Plate, delivered .....                              | 30 |
| Italy; Billet, delivered .....                             | 30 |
| Italy; Rebar, delivered .....                              | 30 |
| Italy; LC wire rod, delivered .....                        | 30 |
| Italy; HC wire rod, delivered .....                        | 30 |
| Italy; Merchant bar, delivered .....                       | 31 |
| Italy; Structurals, delivered .....                        | 31 |
| Spain; HR coil, parity point.....                          | 31 |
| Spain; CR coil, parity point .....                         | 31 |
| Spain; HDG coil, parity point.....                         | 31 |
| Spain; Rebar, delivered .....                              | 32 |
| Spain; LC wire rod, delivered .....                        | 32 |
| Spain; HC wire rod, delivered .....                        | 32 |
| Spain; Structurals, delivered .....                        | 32 |
| Europe; Cold Heading Quality Wire Rod, delivered .....     | 32 |
| Europe; Billet Export; FOB.....                            | 33 |
| Europe, Export; Rebar, FOB .....                           | 33 |
| Europe, Export; HC Wire Rod, FOB .....                     | 33 |
| Turkey, Export; HR coil, FOB .....                         | 33 |
| Turkey, Export; CR coil, FOB.....                          | 33 |
| Turkey, Export; Billet, FOB <i>[Discontinued]</i> .....    | 34 |
| Turkey, Export; Rebar, FOB .....                           | 34 |

|   |           |
|---|-----------|
| Turkey, Export; LC wire rod FOB .....                           | 34        |
| <b>CIS Market Prices .....</b>                                  | <b>34</b> |
| CIS, Export; Slab, FOB.....                                     | 34        |
| CIS, Export; HR coil, FOB .....                                 | 35        |
| CIS, Export; CR coil, FOB.....                                  | 35        |
| CIS, Export; Billet, FOB .....                                  | 35        |
| CIS, Export; Rebar, FOB .....                                   | 35        |
| CIS, Export; LC wire rod, FOB .....                             | 35        |
| CIS; M Bar; Export; FOB <i>[Discontinued]</i> .....             | 36        |
| CIS; Structurals; Export; FOB <i>[Discontinued]</i> .....       | 36        |
| <b>Middle East Market Prices .....</b>                          | <b>36</b> |
| UAE; Rebar, delivered .....                                     | 36        |
| Saudi Arabia; HR coil, delivered .....                          | 36        |
| <b>Asia Market Prices .....</b>                                 | <b>37</b> |
| India, Mumbai; HR coil, delivered .....                         | 37        |
| India, Mumbai; CR coil, delivered .....                         | 37        |
| India, Mumbai; CR coil (Drawing grade), delivered .....         | 37        |
| India, Mumbai; HDG coil, delivered .....                        | 37        |
| India, Mumbai; Plate (Grade S355), delivered .....              | 37        |
| India, Mumbai; Plate, delivered .....                           | 38        |
| India, Mumbai; Rebar, delivered .....                           | 38        |
| India, Mumbai; LC wire rod, delivered .....                     | 38        |
| India, Mumbai; HC Wire Rod, delivered .....                     | 38        |
| India, Delhi; HR coil, delivered .....                          | 39        |
| India, Delhi; CR coil, delivered .....                          | 39        |
| India, Delhi; HDG coil, delivered .....                         | 39        |
| India, Delhi; Rebar, delivered.....                             | 39        |
| India, Delhi; LC wire rod, delivered .....                      | 40        |
| India, East Coast, HR Coil, Export, FOB .....                   | 40        |
| India, East Coast, Billet, Export, FOB.....                     | 40        |
| China; HR coil, ex-Shanghai warehouse, 3.00mm.....              | 40        |
| China; HR coil, ex-Shanghai warehouse, 5.75mm.....              | 40        |
| China; CR coil, ex-Shanghai warehouse .....                     | 41        |
| China; HDG coil, ex-Shanghai warehouse .....                    | 41        |
| China; Plate, ex-Shanghai warehouse.....                        | 41        |
| China; Billet, ex-mill Tangshan .....                           | 41        |
| China; Rebar, EXW .....   | 42        |
| China; LC wire rod, ex-Shanghai warehouse.....                  | 42        |
| China; High-carbon wire rod, ex-works East China .....          | 42        |
| China; Merchant bar, ex-Shanghai warehouse .....                | 42        |
| China; Structurals, ex-Shanghai warehouse.....                  | 43        |
| China, Export; HR coil FOB Tianjin .....                        | 43        |
| China, Export; CR coil FOB Tianjin.....                         | 43        |
| China, Export; HDG coil FOB Tianjin.....                        | 43        |
| China, Export; Medium plate FOB Tianjin .....                   | 44        |
| China, Export; Billet, FOB .....                                | 44        |
| China, Export; Rebar, FOB.....                                  | 44        |
| China, Export; LC wire rod, FOB .....                           | 45        |
| China, Export; High-carbon wire rod, FOB .....                  | 45        |
| China, Export; Structurals, FOB.....                            | 45        |
| China, Export; Structurals, UK grade, FOB East China port ..... | 45        |
| Far East, Import; Slab (non-CIS origin), CFR .....              | 46        |
| Far East, Import; HR coil, CFR.....                             | 46        |

|  |           |
|--|-----------|
| Far East, Import; CR coil, CFR .....   | 46        |
| Far East, Import; HDG coil, CFR .....  | 46        |
| Far East, Import; Plate (non-CIS origin), CFR .....  | 47        |
| Far East, Import; Billet (non-CIS origin), CFR <i>[Discontinued]</i> .....                           | 47        |
| Far East, Import; Billet, CFR .....  | 47        |
| Far East, Import; Rebar, CFR .....   | 48        |
| Far East, Import; LC wire rod (non-CIS origin), CFR .....  | 48        |
| Far East, Import; HC wire rod (non-CIS origin), CFR .....  | 48        |
| Far East, Import; Merchant bar (non-CIS origin), CFR .....   | 48        |
| Far East, Import; Structural, CFR .....  | 49        |
| Far East, Import; HR coil (CIS origin), CFR <i>[Discontinued]</i> .....                              | 49        |
| Far East, Import; CR coil (CIS origin), CFR <i>[Discontinued]</i> .....                              | 49        |
| Far East, Import; HDG coil (CIS origin), CFR <i>[Discontinued]</i> .....                             | 49        |
| Far East, Import, Billet, CFR .....  | 50        |
| Far East, Import; Billet (CIS origin), CFR <i>[Discontinued]</i> .....                               | 50        |
| Japan, Export; HR coil, FOB .....  | 50        |
| Japan, Export; CR coil, FOB .....  | 50        |
| Japan, Export; HDG coil, FOB .....   | 50        |
| Japan, Export; Plate, FOB .....  | 51        |
| <b>Landed Import Prices .....</b>  | <b>51</b> |
| Brazil, HR coil Landed Import Price in EU; Derived from Brazil, Export; HR coil, FOB .....           | 51        |
| Brazil, HR coil Landed Import Price in USA; Derived from Brazil, Export; HR coil, FOB .....          | 51        |
| Turkey, HR coil Landed Import Price in EU; Derived from Turkey, Export; HR coil, FOB .....           | 51        |
| Turkey, Rebar Landed Import Price in EU; Derived from Turkey, Export; rebar, FOB .....               | 52        |
| Russia, HR coil Landed Import Prices in Turkey; Derived from CIS, Export; HR coil, FOB .....         | 52        |
| India, East Coast, HR Coil, Landed Import Price in EU; Derived from India, East Coast, Export; ..... | 52        |
| HR coil, FOB .....   | 52        |
| India, East Coast, HR Coil, Landed Import Price in Turkey; Derived from India, East Coast, .....     | 52        |
| Export; HR coil, FOB .....   | 52        |
| China, HR coil Landed Import Price in EU; Derived from China, Export; HR coil, FOB Tianjin .....     | 53        |
| China, HR coil Landed Import Price in USA; Derived from China, Export; HR coil, FOB Tianjin .....    | 53        |
| China, HR coil Landed Import Price in Turkey; Derived from China, Export; HR coil, FOB Tianjin ..... | 53        |
| China, HDG coil Landed Import Price in EU; Derived from China, Export; HDG coil, FOB Tianjin .....   | 54        |
| China, Rebar Landed Import Price in EU; Derived from China, Export; Rebar, FOB .....                 | 54        |
| Japan, HR coil Landed Import Price in EU; Derived from Japan, Export; HR coil, FOB .....             | 54        |
| Japan, HR coil Landed Import Price in USA; Derived from Japan, Export; HR coil, FOB .....            | 54        |
| Japan, HDG coil Landed Import Price in EU; Derived from Japan, Export; HDG coil, FOB .....           | 55        |
| Japan, HDG coil Landed Import Price in USA; Derived from Japan, Export; HDG coil, FOB .....          | 55        |

# Methodology and Definitions Guide - Steel

## 1 Scope

This guide covers carbon semi-finished and finished steel product prices in all geographical markets and should be read in conjunction with the *CRU Group Compliance Framework and Methodology Guide*. It details commodity-specific methodologies which have precedence, with all other aspects covered by the Group methodology guide.

## 2 Methodology

CRU's steel prices are designed and developed to both meet the requirements of physical and financial users as well as reflecting the realities of the physical market to which they relate. CRU's steel price assessments are determined according to four methodologies:

|                                   |  |
|-----------------------------------|--|
| <b>Flat Products Methodology</b>  | US Midwest domestic prices for HR coil, CR coil, HDG coil and plate<br>German and Italian domestic prices HR coil, CR coil, HDG coil and plate |
| <b>Indicators</b>                 | CRU Steel Price Indicators (CRUspi) and CRU Steel Emissions Abatement Value (CRUsteav)   |
| <b>China Steel Methodology</b>    | Chinese prices HR coil, CR coil, HDG coil, plate, rebar, LC wire rod, structurals, merchant bar, square bar.                                   |
| <b>Standard Steel Methodology</b> | All other carbon semi-finished and finished steel product prices.  |

### 2.1 Flat Products Methodology

CRU's flat products methodology applies to prices that are known to be used extensively in physical and financial contracts or otherwise fall in the same product category. The diagram below provides a summary of data providers, data submission and the final benchmark calculation. In the following methodology description, we outline CRU's flat products methodology, giving specific guidance where the US Midwest and German and Italian methodologies differ.

| <b>Data Providers</b>  | <b>Data Submission</b>  | <b>Final Benchmark Calculation</b>   |
|--|---|--|
| <p>Active participants in the physical steel supply chain, including steel producers (mills), service centres, stockholders, and end-users (consumers)</p> <p>Data Providers are vetted and, upon onboarding, agree to a Data Provider Agreement to ensure they submit complete data for all spot transactions</p> | <p>Data is collected through CRU's secure online CRU Data Collection Platform (CDCP)</p> <p>The CDCP includes checks to ensure accuracy, such as warnings for large changes</p> | <p>After the submission window closes, CRU's Prices System (CPS) processes the submitted data</p> <p>Analysts check the data and contact data providers if there are any queries</p> <p>Analysts can accept or reject data, using expert judgement</p> |
| <b>US Midwest Methodology</b>  |   |  |
| Have transacted spot volume, normalized according to the product specification for the period  | Submit transaction-only volume data. If no spot transactions occur, data providers must log this period with a "No Transactions" flag   | Final price is volume weighted average of accepted price data.   |
| <b>German and Italian Methodology</b>  |   |  |
| Have transacted spot volume, normalized according to the product specification for the period or have access to reliable information for the period  | Submit data via the CDCP or other means, in the form of transactions, bids, offers, opinion and "No Transactions" if no spot transactions occur                                 | Average of accepted price data.  |

## Data Providers

Data Providers are participants in the steel supply chain that must have direct involvement with spot transactions, or in the case of German and Italian flat steel prices, direct involvement or access to reliable spot transaction data for the product, or similar products, specified for a price assessment.

As Data Providers must have access to data relating to actual spot market transactions (a purchase or a sale), individuals submitting data are typically employed in:

- sales or marketing functions on the sell side,
- purchasing functions on the buy side,
- act in a trading function, or,
- may also include individuals in finance functions if they have access to actual transaction data.

CRU actively seeks new Data Providers and will consider unsolicited applications to become a Data Provider. Each new potential Data Provider is fully vetted to make sure they fit the above criteria.

All Data Providers for the US Midwest and German and Italian flat steel assessments are required to sign a Data Provider Agreement before any data they submit can qualify for inclusion in published prices. A copy of the Data Provider Agreement is available on request, its key features are:


|                                    |   |
|------------------------------------|---|
| <b>Completeness &amp; Accuracy</b> | The Data Provider should provide complete and accurate price and/or volume data related to the price(s) being submitted to CRU by the specified deadlines and to the definitions required.  |
| <b>Confidentiality</b>             | The Data Provider does not disclose to anyone outside their company they are a CRU Data Provider and does not discuss the specifics of their data submissions to anyone outside their company. Likewise, CRU commits to the same.   |
| <b>Verification</b>                | Information provided to CRU may be subject to verification, and to understand that CRU has absolute discretion on the use of their data, or not, in final benchmark determination. CRU's use of Data Provider data does not extend beyond its use in the final benchmark determination. |
| <b>Data Protection</b>             | CRU and Data Providers agree not to disclose or divulge confidential information belonging to the other party to any third party.   |
| <b>Audit</b>                       | CRU may conduct an audit of Data Providers' input data through an independent third party for US price submissions.   |

Each new Data Provider is given a "CDCP User Guide" and onboarding in advance of providing their first submission to ensure processes are followed and remain consistent.

Each Data Provider is allocated a "Data Provider ID" by CRU's Prices System (CPS), which is a randomly generated alphanumeric string. This Data Provider ID used in lieu of the Data Provider's or Company name during the benchmark determination process to maintain anonymity and avoid bias towards certain price submissions.

## Data submission process

Data, normalised to the required specification, is submitted by Data Providers to CRU during a submission window ahead of the publication date for the price assessment. This process is outlined in the diagram below.



Data that can be submitted, must be:

- Prices normalised to the specification of the product as outlined later in this document.
- Optionally, a Data Provider may submit supporting documentation.
- Specific requirements for each methodology are outlined below:

| US Methodology   | German and Italian Methodology   |
|--|--|
| <ul style="list-style-type: none"><li>• Each period requires a value for both price and volume relating to all spot sales or purchases concluded in the Sunday to Saturday period</li><li>• The volume figure must be the sum of all qualifying transactions in the period</li><li>• The price figure must be the volume weighted average price of the same transactions in the period</li></ul> | <ul style="list-style-type: none"><li>• A single price figure relating to all spot sales or purchases concluded in the Sunday to Saturday period prior to publication</li><li>• In the absence of actual transaction data, bids, offers and opinion of the prevailing market price in the same period can be submitted</li><li>• Must indicate if price supply is transaction, bid, offer or opinion</li></ul> |

To assist Data Providers the following notifications are sent:

- Ahead on the submission window, with information on the open and close time.
- On opening of the submission window, with a link to the CDCP.
- At least 12 hours prior to the close of the submission window.

Back up processes:

- In the event of failure of CDCP, back up processes will be deployed to collect the appropriate data from Data Providers
- Should any Data Provider face difficulty accessing the platform during any submission window, data can be submitted to the Data Provider Manager who can enter this information on behalf of the data provider.

Compliance: at minimum, the system logs information on the following:

- Actions taken by data providers in CDCP (i.e. log ins, the individual at a Data Provider that submits data)
- Actions taken by the Data Provider Manager to support Data Providers submitting data, such as amending submissions or entering submissions on their behalf via CDCP or CPS

### Proactive checks

During the submission window, CRU's Data Provider Manager and Analyst proactively monitor submissions being made by Data Providers. Should any submission require further clarification, the Data Provider Manager will contact the Data Provider for this information (see: Referral of a price point back to the Data Provider Manager). The Data Provider Manager may discuss submissions and with evidence and permission from a data provider adjust submissions made prior to the close of the submission window, where an error has been made.

Data is checked along the following lines:

1. On close of the submission window, the CPS calculates the arithmetic mean of the submissions, any price outside a +/- 5% range of this mean is automatically rejected. The Analyst can later Accept these prices should they deem them relevant to the assessed price.
2. When submitting prices in the CDCP, Data Providers are alerted when a price input is outside a specified range from their last submission. Analysts proactively check the same when reviewing submissions.
3. Analysts review submitted data against other data submitted and historical submissions by a Data Provider.

At no point is the identity of any Data Provider revealed to the Analyst, who only sees the Data Provider ID.

### Final benchmark calculation

Following the close of the submission window, and once initial checks are completed, the Analyst will see the preliminary price value calculated by the CPS (see below on how this is calculated). Prior to submitting a final assessment for approval, the Analyst may:

- Refer submissions back to the Data Provider Manager for checking. For example, where there is excessive variance to prior submissions or relative to other prices.
- Accept or Reject any price submission. For example, an Analyst may reinclude a price that was rejected due to being outside of range

Once the Analyst is completely satisfied with the data points to be used in the assessment, they will:

- Determine if illiquid market conditions need to apply in assessing the final price due to insufficient data
- Review the preliminary price and ensure that it is representative of the market
- Once happy with the final price assessment, they will submit this price for Approval
- Approval must be done by another Analyst, this Analyst must be of grade Principal Analyst or Research Manager.

### Preliminary price calculation

The preliminary price is calculated as below. This price is updated with each change to the status of any submission.

| US Methodology   | German and Italian Methodology   |
|--|--|
| <ul style="list-style-type: none"><li>• Prices of Accepted submissions are volume weighted</li><li>• The maximum volume weight given to any individual price submission is 20%, unless there are five or fewer admissible price points. In this case, equal weight is given to each price point. The analyst may then adopt illiquid market conditions for final benchmark determination when this occurs.</li></ul> | <ul style="list-style-type: none"><li>• Prices of Accepted submissions are averaged.</li></ul> |

### Referral of a price point back to the Data Provider Manager

The Analyst has the option to Refer Back a price submission to the Data Provider Manager. The Data Provider Manager will then investigate the price with the Data Provider and, if necessary, make an amendment to the submission, including supporting evidence and permission from the Data Provider. To prevent an incomplete assessment, the assessed price for the period in question cannot be submitted for approval when any submission has a Refer Back status.

Expert judgement is used in referring a price point to the Data Provider Manager for clarification. Conditions where this would happen are:

- if the Analyst judges there is excessive variance to other data submitted in the same “submission window”. “Excessive variance” is judged on the price data and/or volume data week-on-week variance; an assessment of current market conditions (including, but not limited to, the pace of price movements) and market liquidity.
- there is excessive variance to prior recent submissions from the same Data Provider,
- the data submitted is significantly outside the +/- 5% range and the Data Provider has not provided information recently.

Not all outliers will be referred back to the Data Provider Manager for clarification and not all clarified price points will be included in the final assessment.

### Applying Accept or Reject status

Prior to submitting a price, all submissions must have either an Accept or Reject status. Submissions Accepted will be included in the Preliminary Price calculation, while those Rejected are excluded.

Expert judgement is used in applying this status. For example, the potential re-inclusion of out-of-range data in that was initially rejected by the system.

Once the “submission window” has closed, the range and distribution of all actual data points submitted, relative to the range set, is analysed and this information and judgement is applied to re-evaluate which data can qualify for inclusion in the final benchmark determination. The Analyst seeks to maximise the number of data points contributing to the final benchmark determination and data points may be re-included.

### Price determination in an illiquid market

In the case of zero submissions, where all submissions were deemed inadmissible or otherwise where received data is judged insufficient, expert judgement would be used to determine the final benchmark value. This choice would be based on:

- observation of the previous week's prices;
- short term historical price trends;
- other quantitative market data including prices in other related active markets, producer price change announcements;
- qualitative information such as that received from interactions with market participants or other CRU analysts, and;
- other sources of information relevant to the spot market.

The Analyst will use their judgement to evaluate the volume, quality and coherence of any such market information they may possess. If one or more of these factors in combination does not provide a sufficiently clear indication of the direction and extent of market movement to allow the Analyst to confidently change the benchmark from the previous value, the prior value would be rolled over to form the current period value.

### Final benchmark publication

Prices are made available to customers and Data Providers every Wednesday by the following times:

| US Methodology  | German and Italian Methodology   |
|---|--|
| <ul style="list-style-type: none"> <li>• 09:00 Eastern Standard Time (EST) or Eastern Daylight Time (EDT).</li> </ul> | <ul style="list-style-type: none"> <li>• 14:00 British Standard Time (GMT) or British Summer Time (BST)</li> </ul> |

- For customers, prices are included in CRU's *Steel Sheet Products services and Steel services*. The prices are published in PDF reports, Excel download files, CRU Online tables, API and FTP data feeds and are available in DataLab.
- For Data Providers (generally only the specific prices for which they contribute data), prices are published to the Analytics tab in CRU's Data Collection Platform.

If it is not possible to publish a definitive price at this time for any reason, CRU will publish a provisional price and clearly indicate it is such but reserves the right to change this.

## 2.2 Indicators

### CRUsteav

CRU's Steel Emissions Abatement Value (CRUsteav) is a weekly calculation of the value attributable to a reduction of CO<sub>2</sub> emissions in the production of HR coil in the EU relative to the traditional BF-BOF processing route. The value is based on the prevailing EU Emissions Trading System (ETS) carbon price and the average reduction in emissions achievable by specific steel production technologies in the EU. The emission reductions are informed by CRU's modelling of emissions generated by current steelmaking technologies, including scope 1, 2 and 3 (third-party input only) emissions. CRUsteav does not indicate that steel must be produced via the technology specified to achieve this value of emissions reduction, rather that the steel produced generated emissions of an equivalent level of the technology specified. The carbon price is a weekly average of data from the EU Emissions Trading System. The calculations do not include free allowances.

The steelmaking technologies for EU HR coil CRUsteav are:

- 'Best in Class BF-BOF'
- 'Natural Gas DRI EAF'
- 'Scrap EAF'
- 'Full Abatement' (theoretical calculation)

In the event of no underlying carbon price data from the EU Emissions Trading System (ETS) for a weekly assessment period, CRUsteav will use the last known weekly average data. CRUsteav is available in CRUs *Steel Sheet Products Monitor*, *Steel Monitor*, *Global Steel Trade Service* and *Datalab*.

### CRU Steel Price Indicators

A selection of indicators composed of weighted prices for various markets. Methodology is [here](#).

## 2.3 China Steel Methodology

CRU's China Steel Domestic price methodology applies to all Chinese semi-finished and finished domestic prices. CRU's China Steel Export price methodology applies to all Chinese semi-finished and finished export prices.

### Data Providers

Data Providers collectively represent the entire physical supply chain and include steel producers (steel mills), steel service centres and stockholders, traders, and end-users (consumers). Data providers must have access to data relating to actual spot market transactions (a purchase or a sale) or confirmed bid/offer information. They are therefore typically employed in sales or marketing functions on the sell side and purchasing functions on the buy side, or act in a trading function. Data Providers may also include individuals in finance functions if they can provide the same data. CRU actively seeks new Data Providers and will consider unsolicited applications to become a Data Provider. Potential new Data Providers are vetted on a case-by-case basis but are not required to sign a Data Provider agreement.

### Data submission process

Any price data provided to CRU must meet the relevant product definitions. For each product, Data Providers provide CRU with a single price figure relating to all spot sales or purchases concluded in the week prior to publication, or in the case of daily prices on the day of publication. In the absence of actual transaction data, firm bids/offers in the same period can be submitted. The type of price data submitted (actual transaction, firm bid/offer) must be indicated to CRU. Industry participants can submit prices to CRU by telephone, email, private one-to-one instant messenger services, or other private means of communication.

### Final benchmark calculation

Price assessors will judge whether firm bids and offers are acceptable or choose bids and offers that are closest to the prevailing market level or any reported transaction prices for the pricing period. Qualifying bid/offer prices cannot include unconfirmed bids or offers; indicative bids or offers, or opinions on price levels. However, excluded bids/offers can be used to gauge and report on market sentiment. Outliers in any remaining data are removed from bid/offer prices. Bid/offer prices are then combined with any transaction data for the final assessment using the following processes:

| China Steel Domestic Methodology   | China Steel Export Methodology   |
|--|--|
| <ul style="list-style-type: none"> <li>• If any transaction prices are accepted, then the final price is the average of all accepted transactions. Any bids or offers are then excluded.</li> <li>• Once any transactions are accepted, any confirmed bids and confirmed offers are automatically rejected.</li> <li>• If no transactions are accepted the final price is the average of all accepted firm bids and/or firm offers.</li> <li>• Expert judgment can be applied in the final price calculation.</li> </ul> | <ul style="list-style-type: none"> <li>• The final price is determined from all accepted price submissions based on the following.</li> <li>• When there is combination of transactions and bids and/or offers, the final price weights the average of transactions by 50% and a combination of average of offers and/or average of bids by 50%.</li> <li>• In the absence of bids, the average of offers is adjusted by the Offer-Bid spread.</li> <li>• The Offer-Bid Spread is determined by expert judgement and based on the condition of the market at the time of the final assessment. The spread is only used in the absence of any acceptable bids.</li> </ul> |

### Price determination in an illiquid market

In the cases of zero submissions, where all submissions were deemed inadmissible or otherwise where received data is judged insufficient, expert judgement would be used to determine the final benchmark value. This choice would be based on an observation of the previous week's prices; short term historical price trends; other quantitative market data including prices in other related active markets, producer price change announcements; qualitative information such as that received from interactions with market participants or other CRU analysts, and other sources of information relevant to the spot market.

The price assessor will use their judgement to evaluate the volume, quality and coherence of any such market information they may possess. If one or more of these factors in combination does not provide a sufficiently clear indication of the direction and extent of market movement to allow the price assessor to confidently change the benchmark from the previous value, the prior value would be rolled over to form the current period value.

### Final benchmark publication

Prices are made available to customers of CRU's Steel Long Products Monitor, Steel Flat Products Monitor, Steel Plate Products Monitor, and Global Steel Trade Service and their respective Prices Baskets according to their publication schedules, via FTP data feeds and available in DataLab.

## 2.4 Standard Steel Methodology

CRU's Standard Steel Methodology applies to all product/market prices not covered by 2.1, 2.2, and 2.3 above. This was formerly referred to as a "Level 1.0" methodology.

### Data Providers

Data Providers collectively represent the entire physical supply chain and include steel producers (steel mills), steel service centres and stockholders/traders, and end-users (consumers).

They must have access to data relating to actual spot market transactions (a purchase or a sale), bid/offer information or be able to provide a credible opinion on such prices in the absence of any other data over the relevant time period. They are therefore typically employed in sales or marketing functions on the sell side and purchasing functions on the buy side, or act in a trading function. Data Providers may also include individuals in finance functions if they can provide the same.

CRU actively seeks new Data Providers and will consider unsolicited applications to become a Data Provider. Potential new Data Providers are vetted on a case-by-case basis, but are not required to sign a Data Providers' agreement.

### Data submission process

Any price data provided to CRU must meet the relevant product definitions.

For each product, Data Providers provide CRU with a single price figure or a range of prices relating to all spot sales or purchases concluded in the week prior to publication. In the absence of actual transaction data, firm bids/offers or an opinion of the prevailing market price in the same period can be submitted. The type of price data submitted (actual transaction, firm bid/offer or opinion) should be indicated to CRU.

Industry participants can submit prices to CRU by telephone, email, private one-to-one instant messenger services or other private means of communication.

### Final benchmark calculation

Although no specific statistical checks are in place to detect errors, the price submissions are collected by experienced CRU price assessors. As such, submissions which are regarded as suspect - whether this be because of the variance from that contributor's last submission or the variance from the average of the other contributors' submissions - are questioned at the time of the survey or, if necessary, by speaking to the participant for a second time. If a satisfactory answer is not received, the contribution is not taken into account when arriving at the final price assessment.

Final prices are arrived at using the expert judgement of the CRU price assessor, considering the price points and type of price points they may have received from market participants. Where a mix of price types have been received, greater subjective weighting will generally be given to transaction prices, then firm bid/offer prices, then indicative bid/offer prices, then opinions of prices in that order.

### Price determination in an illiquid market

In the cases of zero submissions, where all submissions were deemed inadmissible or otherwise where received data is judged insufficient, expert judgement would be used to determine the final benchmark value. This choice would be based on: observation of the previous week's prices; short term historical price trends; other quantitative market data including prices in other related active markets, producer price change announcements; qualitative information such as that received from interactions with market participants or other CRU analysts, and; other sources of information relevant to the spot market.

The price assessor will use their judgement to evaluate the volume, quality and coherence of any such market information they may possess. If one or more of these factors in combination does not provide a sufficiently clear indication of the direction and extent of market movement to allow the price assessor to confidently change the benchmark from the previous value, the prior value would be rolled over to form the current period value.

#### Final benchmark publication

Prices are made available to customers of CRU's *Steel Sheet Products Monitor*, *Steel Long Products Monitor*, *Steel Monitor services* and *Global Steel Trade Service* and their respective Prices Baskets according to their publication schedules, via FTP data feeds and available in DataLab.

## 2.5 Landed Import Prices Methodology

Landed Import Prices are weekly derived import prices for material delivered to the final place of destination. Landed Import Prices are derived from CRU's weekly assessed FOB prices with the addition of any relevant duties, tariffs, freight and inland logistics costs.

In the following methodology description, we outline CRU's Landed Import Prices methodology where the methodology differs to what is already specified in the China Steel Methodology and Standard Steel Methodology for CRU's assessed FOB prices.

#### Final benchmark calculation

Duties, tariffs, freight and logistics data are collected by experienced CRU analysts from authorised published sources and data providers active in the relevant market. Any data collected or submitted which is regarded as suspect - whether this be because of the variance from a source or contributor's last submission or the variance from the average of the other source or contributors' submissions - are questioned at the time of the survey or, if necessary, by speaking to the participant for a second time. If a satisfactory answer is not received, the contribution is not considered when arriving at the final assessment.

#### Data determination in an illiquid market

In the case of zero data, or where all submissions were deemed inadmissible or otherwise where received data is judged insufficient, expert judgement would be used to determine the final derived Landed Import Price benchmark value. This choice would be based on: observation of the previous week's data; short term trends; other quantitative market data in other related active markets; qualitative information such as that received from interactions with market participants or other CRU analysts, and; other sources of information relevant to the market.

The analyst will use their judgement to evaluate the volume, quality and coherence of any such market information they may possess. If one or more of these factors in combination does not provide a sufficiently clear indication of the direction and extent of market movement to allow the analyst to confidently change the benchmark from the previous value, the prior value would be rolled over to form the current period value.

#### Final benchmark publication

Landed Import Prices are made available to customers of CRU's *Global Steel Trade Service* and their respective Prices Baskets according to their publication schedules, via FTP data feeds and available in DataLab.

### 3 Definitions

#### North American Market Prices

##### USA, Midwest; HR coil FOB mill

|                           |  |
|---------------------------|--|
| DataLab name:             | Hot-rolled Coil, Spot price; USA, Midwest, FOB                           |
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded   |
| Price basis:              | FOB  |
| Loading/arrival location: | Midwest mill (East of the Rockies)                                       |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Short tons   |
| Size/tolerance:           | Coils of at least 40,000lb each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery based on current lead times                             |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included      |

##### USA, Midwest; CR Coil FOB mill

|                           |   |
|---------------------------|---|
| DataLab name:             | Cold-rolled Coil, Spot price; USA, Midwest, FOB   |
| Grade/size:               | Commercial quality; prime; annealed and tempered; base price; width and gauge extras excluded |
| Price basis:              | FOB   |
| Loading/arrival location: | Midwest mill (East of the Rockies)  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Short tons  |
| Size/tolerance:           | Coils of at least 20,000lb each; standard packaging; standard tolerances                      |
| Timing:                   | Forward delivery based on current lead times  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                           |

##### USA, Midwest; HDG coil FOB mill

|                           |  |
|---------------------------|--|
| DataLab name:             | Hot-dipped Galvanised Coil, Spot price; USA, Midwest, FOB  |
| Grade/size:               | Commercial quality; base price; 0.06" gauge; pure zinc coating of 0.90oz/ft2; normal surface finish; further width and gauge extras excluded |
| Price basis:              | FOB  |
| Loading/arrival location: | Midwest mill (East of the Rockies)   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Short tons   |
| Size/tolerance:           | Coils of at least 20,000lb each; standard packaging; standard tolerances   |
| Timing:                   | Forward delivery based on current lead times   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included  |

##### USA, Midwest; HDG coil (base) FOB mill

|                           |   |
|---------------------------|---|
| DataLab name:             | Hot-dipped Galvanised Coil, Spot price, Base; USA, Midwest, FOB   |
| Grade/size:               | Commercial quality; base price; excluding coating extra; normal surface finish; further width and gauge extras excluded |
| Price basis:              | FOB   |
| Loading/arrival location: | Midwest mill (East of the Rockies)  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Short tons  |
| Size/tolerance:           | Coils of at least 20,000lb each; standard packaging; standard tolerances  |
| Timing:                   | Forward delivery based on current lead times  |

Duties/tariffs: Taxes excluded; raw materials surcharge (where applicable) included

**USA, Midwest; HDG coil (base) FOB mill (substrate thickness .07 inches and thicker)**

DataLab name: Hot-dipped Galvanised Coil, Substrate thickness  $\geq 0.07$ ", Spot price, Base, USA, Midwest, FOB

Grade/size: Commercial quality; base price; excluding coating extra; normal surface finish; further width and gauge extras excluded

Price basis: FOB

Loading/arrival location: Midwest mill (East of the Rockies)

Delivery charges: Excluded

Type: Spot

Currency: US dollar

Weight Unit: Short tons

Size/tolerance: Coils of at least 20,000lb each; standard packaging; standard tolerances

Timing: Forward delivery based on current lead times

Duties/tariffs: Taxes excluded; raw materials surcharge (where applicable) included

**USA, Midwest; HDG coil (base) FOB mill (substrate thickness less than .07 inches)**

DataLab name: Hot-dipped Galvanised Coil, Substrate thickness  $< 0.07$ ", Spot price, Base, USA, Midwest, FOB

Grade/size: Commercial quality; base price; excluding coating extra; normal surface finish; further width and gauge extras excluded

Price basis: FOB

Loading/arrival location: Midwest mill (East of the Rockies)

Delivery charges: Excluded

Type: Spot

Currency: US dollar

Weight Unit: Short tons

Size/tolerance: Coils of at least 20,000lb each; standard packaging; standard tolerances

Timing: Forward delivery based on current lead times

Duties/tariffs: Taxes excluded; raw materials surcharge (where applicable) included

**USA, Midwest; HDG coil (coating extra)**

DataLab name: Hot-dipped Galvanised Coil, Spot price, Coating extra; USA, Midwest, FOB

Grade/size: Coating extra for 0.06" gauge; pure zinc coating of 0.90oz/ft<sup>2</sup>; normal surface finish

Price basis: FOB

Loading/arrival location: Midwest mill (East of the Rockies)

Delivery charges: Excluded

Type: Spot

Currency: US dollar

Weight Unit: Short tons

Size/tolerance: Coils of at least 20,000lb each; standard packaging; standard tolerances

Timing: Forward delivery based on current lead times

Duties/tariffs: Taxes excluded; raw materials surcharge (where applicable) included

**USA, Midwest; HDG coil Premium**

DataLab name: Hot-dipped Galvanised Coil, Premium to HRC, Spot spread; USA, Midwest, FOB

Grade/size: The difference between the USA, Midwest; HDG coil (base) FOB mill price and USA, Midwest; HR coil FOB mill price.

Currency: US dollar

Weight Unit: Short tons

**USA, Midwest; EG coil, FOB mill [Discontinued]**

DataLab name: Electrogalvanised Coil, Spot price; USA, Midwest, FOB

Grade/size: Commercial quality; base price; 0.04 - 0.06" gauge; pure zinc coating of 0.50oz/ft<sup>2</sup>; normal surface finish; further width and gauge extras excluded

Price basis: FOB

Loading/arrival location: Midwest mill (East of the Rockies)

|                   |  |
|-------------------|--|
| Delivery charges: | Excluded   |
| Type:             | Spot   |
| Currency:         | US dollar  |
| Weight Unit:      | Short tons   |
| Size/tolerance:   | Coils of at least 20,000lb each; standard packaging; standard tolerances |
| Timing:           | Forward delivery   |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included      |

### USA, Midwest; Plate, FOB mill

|                           |  |
|---------------------------|--|
| DataLab name:             | Plate, Spot price; USA, FOB  |
| Grade/size:               | ASTM A36 commercial quality; base price; 3/8 - 2" thickness, 72 - 120" width, 240 - 720 length; further size extras excluded |
| Price basis:              | FOB  |
| Loading/arrival location: | Midwest mill (East of the Rockies)   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Short tons   |
| Size/tolerance:           |  |
| Timing:                   | Forward delivery based on current lead times   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included  |

### USA, Midwest; Rebar, FOB mill

|                           |   |
|---------------------------|---|
| DataLab name:             | Reinforcing Bar, Spot price; USA, Midwest, FOB                      |
| Grade/size:               | Grade 60; 0.5" diameter   |
| Price basis:              | FOB   |
| Loading/arrival location: | Midwest mill (East of the Rockies)                                  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Hundredweight   |
| Size/tolerance:           | Medium-sized buyers; standard lengths; standard tolerances          |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

### USA, Midwest; LC Wire rod (mesh quality, <0.23%C), FOB mill

|                           |   |
|---------------------------|---|
| DataLab name:             | Wire Rod, Low Carbon, Mesh grade, Spot price; USA, Midwest, FOB     |
| Grade/size:               | <0.23% C; mesh quality  |
| Price basis:              | FOB   |
| Loading/arrival location: | Midwest mill (East of the Rockies)                                  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Hundredweight   |
| Size/tolerance:           | Medium-sized buyers; standard lengths; standard tolerances          |
| Timing:                   | Forward delivery  |
| Main consumer market:     | Construction  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

### USA, Midwest; HC wire rod (0.45 - 0.70% C), FOB mill

|                           |  |
|---------------------------|--|
| DataLab name:             | Wire Rod, High Carbon, 0.45-0.70% C, Spot price; USA, Midwest, FOB |
| Grade/size:               | 0.45 - 0.70% C; excludes tyre bead/cord quality                    |
| Price basis:              | FOB  |
| Loading/arrival location: | Midwest mill (East of the Rockies)                                 |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |

|                       |   |
|-----------------------|---|
| Weight Unit:          | Hundredweight   |
| Size/tolerance:       | Medium-sized buyers; standard lengths; standard tolerances          |
| Timing:               | Forward delivery  |
| Main consumer market: | Construction, automotive (excluding tyre cord/bead), agriculture    |
| Duties/tariffs:       | Taxes excluded; raw materials surcharge (where applicable) included |

### **USA, Midwest; HC wire rod (tyre cord), FOB mill *[Discontinued]***

|                           |   |
|---------------------------|---|
| DataLab name:             | Wire Rod, High Carbon, Tyecord, Spot price; USA, Midwest, FOB       |
| Grade/size:               | >0.60%C; tyre bead-quality, tyre cord-quality                       |
| Price basis:              | FOB   |
| Loading/arrival location: | Midwest mill (East of the Rockies)                                  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Hundredweight   |
| Size/tolerance:           | Medium-sized buyers; standard lengths; standard tolerances          |
| Timing:                   | Forward delivery  |
| Main consumer market:     | Automotive  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

### **USA, Midwest; HC wire rod (tyre cord), delivered**

|                           |   |
|---------------------------|---|
| Grade/size:               | >0.60%C; tyre bead-quality, tyre cord-quality                       |
| Price basis:              | Delivered   |
| Loading/arrival location: | Delivered, East of the Rockies (includes imports)                   |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Hundredweight   |
| Size/tolerance:           | Medium-sized buyers; standard lengths; standard tolerances          |
| Timing:                   | Forward delivery  |
| Main consumer market:     | Automotive  |
| Duties/tariffs:           | Taxes included; raw materials surcharge (where applicable) included |

### **USA, Midwest; Merchant bar, FOB mill**

|                           |   |
|---------------------------|---|
| DataLab name:             | Merchant Bar, Spot price; USA, Midwest, FOB                         |
| Grade/size:               | 2 x 2 x 0.25" equal angles  |
| Price basis:              | FOB   |
| Loading/arrival location: | Midwest mill (East of the Rockies)                                  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Hundredweight   |
| Size/tolerance:           | Medium-sized buyers; standard lengths; standard tolerances          |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

### **USA, Midwest; Structurals, FOB mill**

|                           |  |
|---------------------------|--|
| DataLab name:             | Structurals, Spot price; USA, Midwest, FOB       |
| Grade/size:               | Commercial quality; 8" sections; 30 - 80" length |
| Price basis:              | FOB  |
| Loading/arrival location: | Midwest mill (East of the Rockies)               |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Hundredweight                                    |
| Size/tolerance:           | Medium-sized buyers; standard tolerances         |

|                 |   |
|-----------------|---|
| Timing:         | Forward delivery  |
| Duties/tariffs: | Taxes excluded; raw materials surcharge (where applicable) included |

#### **USA, West Coast; HR coil, FOB mill *[Discontinued]***

|                           |  |
|---------------------------|--|
| <b>DataLab name:</b>      | <a href="#">Hot-rolled Coil, Spot price; USA, West Coast, FOB</a>        |
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded   |
| Price basis:              | FOB  |
| Loading/arrival location: | West Coast mill  |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Short tons   |
| Size/tolerance:           | Coils of at least 40,000lb each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included      |

#### **USA, West Coast; CR coil, FOB mill *[Discontinued]***

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <a href="#">Cold-rolled Coil, Spot price; USA, West Coast, FOB</a>                            |
| Grade/size:               | Commercial quality; prime; annealed and tempered; base price; width and gauge extras excluded |
| Price basis:              | FOB   |
| Loading/arrival location: | West Coast mill   |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Short tons  |
| Size/tolerance:           | Coils of at least 20,000lb each; standard packaging; standard tolerances                      |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                           |

#### **USA, West Coast; HDG coil, FOB mill *[Discontinued]***

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <a href="#">Hot-dipped Galvanised Coil, Spot price; USA, West Coast, FOB</a>  |
| Grade/size:               | Commercial quality; base price; 0.06" gauge; pure zinc coating of 0.90oz/ft <sup>2</sup> ; normal surface finish; further width and gauge extras excluded |
| Price basis:              | FOB   |
| Loading/arrival location: | West Coast mill   |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Short tons  |
| Size/tolerance:           | Coils of at least 20,000lb each; standard packaging; standard tolerances  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included   |

#### **USA, Gulf Coast; HR coil, FOB mill *[Discontinued]***

|                           |  |
|---------------------------|--|
| <b>DataLab name:</b>      | <a href="#">Hot-rolled Coil, Spot price; USA, Gulf Coast, FOB</a>        |
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded   |
| Price basis:              | FOB  |
| Loading/arrival location: | Gulf Coast mill  |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Short tons   |
| Size/tolerance:           | Coils of at least 40,000lb each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included      |

#### **USA, Gulf Coast; CR coil, FOB mill *[Discontinued]***

|                      |  |
|----------------------|--|
| <b>DataLab name:</b> | <a href="#">Cold-rolled Coil, Spot price; USA, Gulf Coast, FOB</a> |
|----------------------|--|

|                           |   |
|---------------------------|---|
| Grade/size:               | Commercial quality; prime; annealed and tempered; base price; width and gauge extras excluded |
| Price basis:              | FOB   |
| Loading/arrival location: | Gulf Coast mill   |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Short tons  |
| Size/tolerance:           | Coils of at least 20,000lb each; standard packaging; standard tolerances                      |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                           |

#### **USA, Gulf Coast; HDG coil, FOB mill *[Discontinued]***

**DataLab name:** [Hot-dipped Galvanised Coil, Spot price; USA, Gulf Coast, FOB](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality; base price; 0.06" gauge; pure zinc coating of 0.90oz/ft2; normal surface finish; further width and gauge extras excluded |
| Price basis:              | FOB  |
| Loading/arrival location: | Gulf Coast mill  |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Short tons   |
| Size/tolerance:           | Coils of at least 20,000lb each; standard packaging; standard tolerances   |
| Timing:                   | Forward delivery   |

#### **USA, Import; Slab, CFR *[Discontinued]***

**DataLab name:** [Slab, Spot price; USA, CFR](#)

|                           |                    |
|---------------------------|--------------------|
| Grade/size:               | Commercial quality |
| Price basis:              | CFR                |
| Loading/arrival location: | Gulf Coast port    |
| Delivery charges:         | Excluded           |
| Type:                     | Spot               |
| Currency:                 | US dollar          |
| Weight Unit:              | Tonnes             |
| Timing:                   | Forward delivery   |

#### **USA, Import; Billet, CFR *[Discontinued]***

**DataLab name:** [Billet, Spot price; USA, CFR](#)

|                           |   |
|---------------------------|---|
| Grade/size:               | Commercial quality                                  |
| Price basis:              | CFR   |
| Loading/arrival location: | Gulf Coast port                                     |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery                                    |
| Duties/tariffs:           | Raw materials surcharge (where applicable) included |

#### **Mexico; HR coil, ex-warehouse**

**DataLab Name:** [Hot-rolled Coil, Spot price; Mexico, FOB](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded |
| Price basis:              | Ex-warehouse   |
| Loading/arrival location: | Monterrey  |
| Delivery changes:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Mexican peso (MXN)   |
| Weight Unit:              | Tonnes   |
| Timing:                   | Forward delivery   |

Duties/tariffs: Taxes excluded; raw materials surcharge (where applicable) included

### **Mexico; CR coil, ex-warehouse**

**DataLab name:** [Cold-rolled Coil, Spot price; Mexico, FOB](#)

**Grade/size:** Com Wire Rod, Low Carbon, Mesh grade, Spot price; Mexico, FOB commercial quality; prime; base price; width and gauge extras excluded

**Price basis:** Ex-warehouse

**Loading/arrival location:** Monterrey

**Delivery changes:** Excluded

**Type:** Spot

**Currency:** Mexican peso (MXN)

**Weight Unit:** Tonnes

**Timing:** Forward delivery

**Duties/tariffs:** Taxes excluded; raw materials surcharge (where applicable) included

### **Mexico; Rebar, ex-warehouse**

**DataLab name:** [Reinforcing Bar, Spot price; Mexico, FOB](#)

**Grade/size:** Commercial quality

**Price basis:** Ex-warehouse

**Loading/arrival location:** Monterrey

**Delivery changes:** Excluded

**Type:** Spot

**Currency:** Mexican peso (MXN)

**Weight Unit:** Metric tonne

**Size/tolerance:** Medium-sized buyers; standard lengths; standard packaging; standard tolerances

**Timing:** Forward delivery

**Duties/tariffs:** Taxes excluded; raw materials surcharge (where applicable) included

### **Mexico; LC wire rod, ex-warehouse**

**DataLab name:** [Wire Rod, Low Carbon, Mesh grade, Spot price; Mexico, FOB](#)

**Grade/size:** <0.23% C; mesh quality

**Price basis:** Ex-warehouse

**Loading/arrival location:** Monterrey

**Delivery changes:** Excluded

**Type:** Spot

**Currency:** Mexican peso (MXN)

**Weight Unit:** Metric tonne

**Size/tolerance:** Medium-sized buyers; standard lengths; standard packaging; standard tolerances

**Timing:** Forward delivery

**Duties/tariffs:** Taxes excluded; raw materials surcharge (where applicable) included

## **Central and South American Market Prices**

### **Brazil; HR coil, ex-SE Brazil warehouse**

**DataLab name:** [Hot-rolled Coil, Spot price; Brazil, ex-warehouse](#)

**Grade/size:** Commercial quality; prime; base price; width and gauge extras excluded

**Price basis:** Ex-warehouse

**Loading/arrival location:** Southeast Brazil

**Delivery charges:** Excluded

**Type:** Spot

**Currency:** BRL

**Weight Unit:** Tonnes

**Timing:** Forward delivery

**Duties/tariffs:** Raw materials surcharge (where applicable) included

### **Brazil; CR coil, ex-SE Brazil warehouse**

**DataLab name:** [Cold-rolled Coil, Spot price; Brazil, ex-warehouse](#)

**Grade/size:** Commercial quality; prime; base price; width and gauge extras excluded

|                           |   |
|---------------------------|---|
| Price basis:              | Ex-warehouse  |
| Loading/arrival location: | Southeast Brazil                                    |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | BRL   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery                                    |
| Duties/tariffs:           | Raw materials surcharge (where applicable) included |

### **Brazil, Export; Slab, FOB**

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <b>Slab, Spot price; Brazil, FOB</b>  |
| Grade/size:               | Commercial quality  |
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included |

### **Brazil, Export; HR coil, FOB**

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <b>Hot-rolled Coil, Spot price; Brazil, FOB</b>   |
| Grade/size:               | Commercial quality  |
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included |

### **Brazil, Export; CR coil, FOB**

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <b>Cold-rolled Coil, Spot price; Brazil, FOB</b>  |
| Grade/size:               | Commercial quality  |
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included |

### **Brazil, Export; Billet, FOB**

|                           |  |
|---------------------------|--|
| <b>DataLab name:</b>      | <b>Billet, Spot price; Brazil, FOB</b> |
| Grade/size:               | Commercial quality                     |
| Price basis:              | FOB                                    |
| Loading/arrival location: | Port                                   |
| Delivery charges:         | Excluded                               |
| Type:                     | Spot                                   |
| Currency:                 | US dollar                              |
| Weight Unit:              | Tonnes                                 |

|                 |   |
|-----------------|---|
| Size/tolerance: | Standard tolerances   |
| Timing:         | Forward delivery  |
| Duties/tariffs: | Traders' commissions are excluded; raw materials surcharges (where applicable) are included |

### **Brazil, Export; Rebar, FOB**

**DataLab name:** [Reinforcing Bar, Spot price; Brazil, FOB](#)

|                           |   |
|---------------------------|---|
| Grade/size:               | Commercial quality  |
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included |

### **Brazil, Export; LC wire rod, FOB**

**DataLab name:** [Wire Rod, Low Carbon, Mesh grade, Spot price; Brazil, FOB](#)

|                           |   |
|---------------------------|---|
| Grade/size:               | <0.23% C; mesh quality  |
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included |

## **European Market Prices**

### **Europe, HR coil, CRUsteav (Best in Class BF-BOF)**

**DataLab name:** [CRU Steel Emissions Abatement Value, Best in Class BF-BOF](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded. Steel produced with scope 1,2 and 3 emissions (third-party input only). Intensity assumptions relevant to Best in Class-BF-BOF (CO <sub>2</sub> /t of product) |
| Price basis:              | Calculation  |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium- sized buyers; coils of at least 15t each; standard packaging; standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included  |

### **Europe, HR coil, CRUsteav (NG-DRI-EAF)**

**DataLab name:** [CRU Steel Emissions Abatement Value, Natural Gas DRI EAF](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded. Steel produced with scope 1,2 and 3 emissions (third-party input only). Intensity assumptions relevant to NG-DRI-EAF (CO <sub>2</sub> /t of product) |
| Price basis:              | Calculation  |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |

|                 |   |
|-----------------|---|
| Weight Unit:    | Tonnes  |
| Size/tolerance: | Medium- sized buyers; coils of at least 15t each; standard packaging; standard tolerances |
| Timing:         | Forward delivery  |
| Duties/tariffs: | Taxes excluded; raw materials surcharge (where applicable) included                       |

### Europe, HR coil, CRUsteav (Scrap EAF)

**DataLab name:** [CRU Steel Emissions Abatement Value, Scrap EAF](#)

|                           |   |
|---------------------------|---|
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded. Steel produced with scope 1,2 and 3 emissions (third-party input only). Intensity assumptions relevant to Scrap EAF (CO <sub>2</sub> /t of product) |
| Price basis:              | Calculation   |
| Loading/arrival location: | Parity point  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | Euro  |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium- sized buyers; coils of at least 15t each; standard packaging; standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included   |

### Europe, HR coil, CRUsteav (Full Abatement)

**DataLab name:** [CRU Steel Emissions Abatement Value, Full Abatement](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded. Steel produced with scope 1,2 and 3 emissions (third-party input only). Intensity assumptions relevant to theoretical Full Abatement (CO <sub>2</sub> /t of product) |
| Price basis:              | Calculation  |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium- sized buyers; coils of at least 15t each; standard packaging; standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included  |

### Germany; HR coil, parity point

**DataLab name:** [Hot-rolled Coil, Spot price; Germany](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded                   |
| Price basis:              |  |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | VAT excluded; raw materials surcharge (where applicable) included                        |

### Germany; CR coil, parity point

**DataLab name:** [Cold-rolled Coil, Spot price; Germany](#)

|                           |   |
|---------------------------|---|
| Grade/size:               | Commercial quality; prime; annealed and tempered; base price; width and gauge extras excluded |
| Price basis:              |   |
| Loading/arrival location: | Parity point  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | Euro  |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances      |

|                 |   |
|-----------------|---|
| Timing:         | Forward delivery  |
| Duties/tariffs: | Taxes excluded; raw materials surcharge (where applicable) included |

### Germany; HDG coil, parity point

|                           |  |
|---------------------------|--|
| DataLab name:             | Hot-dipped Galvanised Coil, Spot price, Base; Germany  |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded; pure zinc coating of 275g/m2; normal surface finish |
| Price basis:              |  |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances                             |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included  |

### Germany; HDG coil (base), parity point

|                           |   |
|---------------------------|---|
| DataLab name:             | Hot-dipped Galvanised Coil, Spot price, Base; Germany   |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded; excluding coating extra; normal surface finish |
| Price basis:              |   |
| Loading/arrival location: | Parity point  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | Euro  |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances                        |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included   |

### Germany; HDG coil (coating extra)

|                           |  |
|---------------------------|--|
| DataLab name:             | Hot-dipped Galvanised Coil, Spot price, Coating extra; Germany                           |
| Grade/size:               | Coating extra for pure zinc coating of 275g/m2; normal surface finish                    |
| Price basis:              |  |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                      |

### Germany; EG coil, parity point *[Discontinued]*

|                           |  |
|---------------------------|--|
| DataLab name:             | Electrogalvanised Coil, Spot price; Germany  |
| Grade/size:               | Commercial quality; base price; normal surface finish; width and gauge extras excluded |
| Price basis:              |  |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Timing:                   | Forward delivery   |

### Germany; Plate, delivered

|               |  |
|---------------|--|
| DataLab name: | Plate, Spot price; Germany, delivered                |
| Grade/size:   | Commercial quality; base price; size extras excluded |
| Price basis:  | Delivered  |

|                   |   |
|-------------------|---|
| Delivery charges: | Included  |
| Type:             | Spot  |
| Currency:         | Euro  |
| Weight Unit:      | Tonnes  |
| Size/tolerance:   | Medium-sized buyers; standard packaging                             |
| Timing:           | Forward delivery  |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included |

### Germany; Rebar, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Reinforcing Bar, Spot price; Germany, delivered                                |
| Grade/size:               | Commercial quality; 12mm diameter  |
| Price basis:              | Delivered  |
| Loading/arrival location: |  |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; standard lengths; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included            |

### Germany; LC wire rod, delivered

|                           |   |
|---------------------------|---|
| DataLab name:             | Wire Rod, Low Carbon, Mesh grade, Spot price; Germany, delivered    |
| Grade/size:               | <0.23% C; mesh quality  |
| Price basis:              | Delivered   |
| Loading/arrival location: |   |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | Euro  |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium-sized buyers; standard lengths; standard packaging           |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

### Germany; HC wire rod, delivered

|                           |   |
|---------------------------|---|
| DataLab name:             | Wire Rod, High Carbon, 0.45-0.70% C, Spot price; Germany, delivered |
| Grade/size:               | >0.44% C  |
| Price basis:              | Delivered   |
| Loading/arrival location: |   |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | Euro  |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium-sized buyers; standard lengths; standard packaging           |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

### Germany; Merchant bar, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Merchant Bar, Spot price; Germany, delivered                                   |
| Grade/size:               | Commercial quality; 50mm equal angles  |
| Price basis:              | Delivered  |
| Loading/arrival location: |  |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; standard lengths; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included            |

### Germany; Structural, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Structurals, Spot price; Germany, delivered                                    |
| Grade/size:               | Commercial quality; HEB 100-180mm  |
| Price basis:              | Delivered  |
| Loading/arrival location: |  |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; standard lengths; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included            |

### France; HR coil, parity point

|                           |  |
|---------------------------|--|
| DataLab name:             | Hot-rolled Coil, Spot price; France  |
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded                   |
| Price basis:              | -  |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                      |

### France; CR coil, parity point

|                           |   |
|---------------------------|---|
| DataLab name:             | Cold-rolled Coil, Spot price; France  |
| Grade/size:               | Commercial quality; prime; annealed and tempered; base price; width and gauge extras excluded |
| Loading/arrival location: | Parity point  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | Euro  |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances      |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                           |

### France; HDG coil, parity point

|                           |  |
|---------------------------|--|
| DataLab name:             | Hot-dipped Galvanised Coil, Spot price; France   |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded; pure zinc coating of 275g/m2; normal surface finish |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances                             |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included.   |

### France; HC wire rod, delivered

|                   |  |
|-------------------|--|
| DataLab name:     | Wire Rod, High Carbon, 0.45-0.70% C, Spot price; France, delivered |
| Grade/size:       | >0.44% C   |
| Price basis:      | Delivered  |
| Delivery charges: | Included   |
| Type:             | Spot   |

|                 |   |
|-----------------|---|
| Currency:       | Euro  |
| Weight Unit:    | Tonnes  |
| Size/tolerance: | Medium-sized buyers; standard lengths; standard packaging           |
| Timing:         | Forward delivery  |
| Duties/tariffs: | Taxes excluded; raw materials surcharge (where applicable) included |

### UK; HR coil, parity point

|                           |  |
|---------------------------|--|
| <b>DataLab name:</b>      | <a href="#">Hot-rolled Coil, Spot price</a>  |
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded                   |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | GBP  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                      |

### UK; CR coil, parity point

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <a href="#">Cold-rolled Coil, Spot price; UK</a>  |
| Grade/size:               | Commercial quality; prime; annealed and tempered; base price; width and gauge extras excluded |
| Loading/arrival location: | Parity point  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | GBP   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances      |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                           |

### UK; HDG coil, parity point

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <a href="#">Hot-dipped Galvanised Coil, Spot price; UK</a>  |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded; pure zinc coating of 275g/m <sup>2</sup> ; normal surface finish |
| Loading/arrival location: | Parity point  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | GBP   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included   |

### UK; Plate, delivered

|                      |   |
|----------------------|---|
| <b>DataLab name:</b> | <a href="#">Plate, Spot price; UK, delivered</a>                    |
| Grade/size:          | Commercial quality; base price; size extras excluded                |
| Price basis:         | Delivered   |
| Delivery charges:    | Included  |
| Type:                | Spot  |
| Currency:            | GBP   |
| Weight Unit:         | Tonnes  |
| Size/tolerance:      | Medium-sized buyers; standard packaging                             |
| Timing:              | Forward delivery  |
| Duties/tariffs:      | Taxes excluded; raw materials surcharge (where applicable) included |

### UK; Rebar, delivered

|                      |  |
|----------------------|--|
| <b>DataLab name:</b> | <a href="#">Reinforcing Bar, Spot price; UK, delivered</a> |
|----------------------|--|

|                   |  |
|-------------------|--|
| Grade/size:       | Commercial quality; 12mm diameter  |
| Price basis:      | Delivered  |
| Delivery charges: | Included   |
| Type:             | Spot   |
| Currency:         | GBP  |
| Weight Unit:      | Tonnes   |
| Size/tolerance:   | Medium-sized buyers; standard lengths; standard packaging; standard tolerances |
| Timing:           | Forward delivery   |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included            |

### **UK; LC wire rod, delivered**

#### **DataLab name:**

[Wire Rod, Low Carbon, Mesh grade, Spot price; UK, delivered](#)

|                   |   |
|-------------------|---|
| Grade/size:       | <0.23% C; mesh quality  |
| Price basis:      | Delivered   |
| Delivery charges: | Included  |
| Type:             | Spot  |
| Currency:         | GBP   |
| Weight Unit:      | Tonnes  |
| Size/tolerance:   | Medium-sized buyers; standard lengths; standard packaging           |
| Timing:           | Forward delivery  |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included |

### **UK; HC wire rod, delivered**

#### **DataLab name:**

[Wire Rod, High Carbon, 0.45-0.70% C, Spot price; UK, delivered](#)

|                   |   |
|-------------------|---|
| Grade/size:       | >0.44% C  |
| Price basis:      | Delivered   |
| Delivery charges: | Included  |
| Type:             | Spot  |
| Currency:         | GBP   |
| Weight Unit:      | Tonnes  |
| Size/tolerance:   | Medium-sized buyers; standard lengths; standard packaging           |
| Timing:           | Forward delivery  |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included |

### **UK; Structurals, delivered**

#### **DataLab name:**

[Structurals, Spot price; UK, delivered](#)

|                   |  |
|-------------------|--|
| Grade/size:       | Commercial quality; HEB 100-180mm  |
| Price basis:      | Delivered  |
| Delivery charges: | Included   |
| Type:             | Spot   |
| Currency:         | GBP  |
| Weight Unit:      | Tonnes   |
| Size/tolerance:   | Medium-sized buyers; standard lengths; standard packaging; standard tolerances |
| Timing:           | Forward delivery   |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included            |

### **Italy; HR coil, parity point**

#### **DataLab name:**

[Hot-rolled Coil, Spot price; Italy](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded                   |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                      |

### Italy; CR coil, parity point

#### DataLab name:

[Cold-rolled Coil, Spot price; Italy](#)

|                           |   |
|---------------------------|---|
| Grade/size:               | Commercial quality; prime; annealed and tempered; base price; width and gauge extras excluded |
| Loading/arrival location: | Parity point  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | Euro  |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances      |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                           |

### Italy; HDG coil, parity point

#### DataLab name:

[Hot-dipped Galvanised Coil, Spot price; Italy](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded; pure zinc coating of 275g/m2; normal surface finish |
| Price basis:              |  |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances                             |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included  |

### Italy; HDG coil (base), parity point

#### DataLab name:

[Hot-dipped Galvanised Coil, Spot price, Base; Italy](#)

|                           |   |
|---------------------------|---|
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded; excluding coating extra; normal surface finish |
| Price basis:              |   |
| Loading/arrival location: | Parity point  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | Euro  |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances                        |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included   |

### Italy; HDG coil (coating extra)

#### DataLab name:

[Hot-dipped Galvanised Coil, Spot price, Coating extra; Italy](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Coating extra for pure zinc coating of 275g/m2; normal surface finish                    |
| Price basis:              |  |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                      |

### Italy; EG coil, parity point *[Discontinued]*

#### DataLab name:

[Electrogalvanised Coil, Spot price; Italy](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality; base price; normal surface finish; width and gauge extras excluded |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |

|              |                  |
|--------------|------------------|
| Type:        | Spot             |
| Currency:    | Euro             |
| Weight Unit: | Tonnes           |
| Timing:      | Forward delivery |

### Italy; Plate, delivered

#### DataLab name:

|                   |   |
|-------------------|---|
| Grade/size:       | Plate, Spot price; Italy, delivered                                 |
| Price basis:      | Commercial quality; base price; size extras excluded                |
| Delivery charges: | Delivered   |
| Type:             | Included  |
| Currency:         | Spot  |
| Weight Unit:      | Euro  |
| Size/tolerance:   | Tonnes  |
| Timing:           | Medium-sized buyers; standard packaging                             |
| Duties/tariffs:   | Forward delivery  |
|                   | Taxes excluded; raw materials surcharge (where applicable) included |

### Italy; Billet, delivered

#### DataLab name:

|                   |   |
|-------------------|---|
| Grade/size:       | Billet, Spot price; Italy, delivered                                |
| Price basis:      | Commercial quality  |
| Delivery charges: | Delivered   |
| Type:             | Included  |
| Currency:         | Spot  |
| Weight Unit:      | Euro  |
| Timing:           | Tonnes  |
| Duties/tariffs:   | Forward delivery  |
|                   | Taxes excluded; raw materials surcharge (where applicable) included |

### Italy; Rebar, delivered

#### DataLab name:

|                   |  |
|-------------------|--|
| Grade/size:       | Reinforcing Bar, Spot price; Italy, delivered                                  |
| Price basis:      | Commercial quality; 12mm diameter  |
| Delivery charges: | Delivered  |
| Type:             | Included   |
| Currency:         | Spot   |
| Weight Unit:      | Euro   |
| Size/tolerance:   | Tonnes   |
| Timing:           | Medium-sized buyers; standard lengths; standard packaging; standard tolerances |
| Duties/tariffs:   | Forward delivery   |
|                   | Taxes excluded; raw materials surcharge (where applicable) included            |

### Italy; LC wire rod, delivered

#### DataLab name:

|                   |   |
|-------------------|---|
| Grade/size:       | Wire Rod, Low Carbon, Mesh grade, Spot price; Italy, delivered      |
| Price basis:      | <0.23% C; mesh quality  |
| Delivery charges: | Delivered   |
| Type:             | Included  |
| Currency:         | Spot  |
| Weight Unit:      | Euro  |
| Size/tolerance:   | Tonnes  |
| Timing:           | Medium-sized buyers; standard lengths; standard packaging           |
| Duties/tariffs:   | Forward delivery  |
|                   | Taxes excluded; raw materials surcharge (where applicable) included |

### Italy; HC wire rod, delivered

#### DataLab name:

|                   |   |
|-------------------|---|
| Grade/size:       | Wire Rod, High Carbon, 0.45-0.70% C, Spot price; Italy, delivered |
| Price basis:      | >0.44% C  |
| Delivery charges: | Delivered   |
| Type:             | Included  |
| Currency:         | Spot  |
|                   | Euro  |

|                 |   |
|-----------------|---|
| Weight Unit:    | Tonnes  |
| Size/tolerance: | Medium-sized buyers; standard lengths; standard packaging           |
| Timing:         | Forward delivery  |
| Duties/tariffs: | Taxes excluded; raw materials surcharge (where applicable) included |

### Italy; Merchant bar, delivered

|                   |  |
|-------------------|--|
| DataLab name:     | Merchant Bar, Spot price; Italy, delivered                                     |
| Grade/size:       | Commercial quality; 50mm equal angles  |
| Price basis:      | Delivered  |
| Delivery charges: | Included   |
| Type:             | Spot   |
| Currency:         | Euro   |
| Weight Unit:      | Tonnes   |
| Size/tolerance:   | Medium-sized buyers; standard lengths; standard packaging; standard tolerances |
| Timing:           | Forward delivery   |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included            |

### Italy; Structurals, delivered

|                       |  |
|-----------------------|--|
| DataLab name:         | Structurals, Spot price; Italy, delivered                                      |
| Grade/size:           | Commercial quality; HEB 100-180mm  |
| Price basis:          | Delivered  |
| Delivery charges:     | Included   |
| Type:                 | Spot   |
| Currency:             | Euro   |
| Weight Unit:          | Tonnes   |
| Size/tolerance:       | Medium-sized buyers; standard lengths; standard packaging; standard tolerances |
| Timing:               | Forward delivery   |
| Main consumer market: | -  |
| Duties/tariffs:       | Taxes excluded; raw materials surcharge (where applicable) included            |

### Spain; HR coil, parity point

|                           |  |
|---------------------------|--|
| DataLab name:             | Hot-rolled Coil, Spot price; Spain   |
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded                   |
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                      |

### Spain; CR coil, parity point

|                           |   |
|---------------------------|---|
| DataLab name:             | Cold-rolled Coil, Spot price; Spain   |
| Grade/size:               | Commercial quality; prime; annealed and tempered; base price; width and gauge extras excluded |
| Loading/arrival location: | Parity point  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | Euro  |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances      |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                           |

### Spain; HDG coil, parity point

|               |   |
|---------------|---|
| DataLab name: | Hot-dipped Galvanised Coil, Spot price; Spain   |
| Grade/size:   | Commercial quality; base price; width and gauge extras excluded; pure zinc coating of 275g/m <sup>2</sup> ; normal surface finish |

|                           |  |
|---------------------------|--|
| Loading/arrival location: | Parity point   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | Euro   |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Medium-sized buyers; coils of at least 15t each; standard packaging; standard tolerances |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included                      |

### Spain; Rebar, delivered

|                   |  |
|-------------------|--|
| DataLab name:     | Reinforcing Bar, Spot price; Spain, delivered                                  |
| Grade/size:       | Commercial quality; 12mm diameter  |
| Price basis:      | Delivered  |
| Delivery charges: | Included   |
| Type:             | Spot   |
| Currency:         | Euro   |
| Weight Unit:      | Tonnes   |
| Size/tolerance:   | Medium-sized buyers; standard lengths; standard packaging; standard tolerances |
| Timing:           | Forward delivery   |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included            |

### Spain; LC wire rod, delivered

|                   |   |
|-------------------|---|
| DataLab name:     | Wire Rod, Low Carbon, Mesh grade, Spot price; Spain, delivered      |
| Grade/size:       | <0.23% C; mesh quality  |
| Price basis:      | Delivered   |
| Delivery charges: | Included  |
| Type:             | Spot  |
| Currency:         | Euro  |
| Weight Unit:      | Tonnes  |
| Size/tolerance:   | Medium-sized buyers; standard lengths; standard packaging           |
| Timing:           | Forward delivery  |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included |

### Spain; HC wire rod, delivered

|                   |   |
|-------------------|---|
| DataLab name:     | Wire Rod, High Carbon, 0.45-0.70% C, Spot price; Spain, delivered   |
| Grade/size:       | >0.44% C  |
| Price basis:      | Delivered   |
| Delivery charges: | Included  |
| Type:             | Spot  |
| Currency:         | Euro  |
| Weight Unit:      | Tonnes  |
| Size/tolerance:   | Medium-sized buyers; standard lengths; standard packaging           |
| Timing:           | Forward delivery  |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included |

### Spain; Structurals, delivered

|                   |  |
|-------------------|--|
| DataLab name:     | Structurals, Spot price; Spain, delivered                                      |
| Grade/size:       | Commercial quality; HEB 100-180mm  |
| Price basis:      | Delivered  |
| Delivery charges: | Included   |
| Type:             | Spot   |
| Currency:         | Euro   |
| Weight Unit:      | Tonnes   |
| Size/tolerance:   | Medium-sized buyers; standard lengths; standard packaging; standard tolerances |
| Timing:           | Forward delivery   |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included            |

### Europe; Cold Heading Quality Wire Rod, delivered

|               |  |
|---------------|--|
| DataLab name: | Wire Rod, Cold Heading Quality, 20MnB4, Spot price |
|---------------|--|

|                   |   |
|-------------------|---|
| Grade/size:       | 20MnB4  |
| Price basis:      | Delivered (last prices agreed for forward delivery)                 |
| Delivery charges: | Included  |
| Type:             | Spot & contract considered  |
| Weight Unit:      | Tonnes  |
| Size/tolerance:   | 5.5-16mm  |
| Timing:           | First delivery up to 12 weeks                                       |
| Duties/tariffs:   | Taxes excluded; raw materials surcharge (where applicable) included |

### Europe; Billet Export; FOB

DataLab name: [Billet, Spot price; Europe, FOB](#)

|                           |                    |
|---------------------------|--------------------|
| Grade/size:               | Commercial quality |
| Price basis:              | FOB                |
| Loading/arrival location: | Port               |
| Delivery charges:         | Excluded           |
| Type:                     | Spot               |
| Currency:                 | US dollar          |
| Weight Unit:              | Tonnes             |
| Timing:                   | Forward delivery   |

### Europe, Export; Rebar, FOB

DataLab name: [Reinforcing Bar, Spot price; Europe, FOB](#)

|                           |   |
|---------------------------|---|
| Grade/size:               | Commercial quality                                  |
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery                                    |
| Duties/tariffs:           | Raw materials surcharge (where applicable) included |

### Europe, Export; HC Wire Rod, FOB

DataLab name: [Wire Rod, High Carbon, 0.45-0.70% C, Spot price; Europe, FOB](#)

|                           |   |
|---------------------------|---|
| Grade/size:               | >0.44% C  |
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery                                    |
| Duties/tariffs:           | Raw materials surcharge (where applicable) included |

### Turkey, Export; HR coil, FOB

DataLab name: [Hot-dipped Galvanised Coil, Spot price; Turkey, FOB](#)

|                           |                    |
|---------------------------|--------------------|
| Grade/size:               | Commercial quality |
| Price basis:              | FOB                |
| Loading/arrival location: | Port               |
| Delivery charges:         | Excluded           |
| Type:                     | Spot               |
| Currency:                 | US dollar          |
| Weight Unit:              | Tonnes             |
| Timing:                   | Forward delivery   |

### Turkey, Export; CR coil, FOB

DataLab name: [Cold-rolled Coil, Spot price; Turkey, FOB](#)

|             |   |
|-------------|---|
| Grade/size: | Commercial quality; prime; annealed and tempered; base price; width and gauge extras excluded |
|-------------|---|

|                           |   |
|---------------------------|---|
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

### **Turkey, Export; Billet, FOB [Discontinued]**

**DataLab name:** [Billet, Spot price; Turkey, FOB](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality                                       |
| Price basis:              | FOB  |
| Loading/arrival location: | Port   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Tonnes   |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Raw materials surcharges (where applicable) are included |

### **Turkey, Export; Rebar, FOB**

**DataLab name:** [Reinforcing Bar, Spot price; Turkey, FOB](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality                                       |
| Price basis:              | FOB  |
| Loading/arrival location: | Port   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Tonnes   |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Raw materials surcharges (where applicable) are included |

### **Turkey, Export; LC wire rod FOB**

**DataLab name:** [Wire Rod, Low Carbon, Mesh grade, Spot price; Turkey, FOB](#)

|                           |  |
|---------------------------|--|
| Grade/size:               | <0.23% C; mesh quality                                   |
| Price basis:              | FOB  |
| Loading/arrival location: | Port   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Tonnes   |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Raw materials surcharges (where applicable) are included |

## **CIS Market Prices**

### **CIS, Export; Slab, FOB**

**DataLab name:** [Slab, Spot price; CIS, FOB](#)

|                           |                  |
|---------------------------|------------------|
| Grade/size:               | SA1006           |
| Price basis:              | FOB              |
| Loading/arrival location: | Black Sea port   |
| Delivery charges:         | Excluded         |
| Type:                     | Spot             |
| Currency:                 | US dollar        |
| Weight Unit:              | Tonnes           |
| Timing:                   | Forward delivery |

Duties/tariffs: Traders' commissions are excluded; raw materials surcharges (where applicable) are included

### **CIS, Export; HR coil, FOB**

#### **DataLab name:**

|                           |   |
|---------------------------|---|
| Grade/size:               | Hot-rolled Coil, Spot price; CIS, FOB   |
| Price basis:              | Commercial quality  |
|                           | FOB   |
| Loading/arrival location: | Black Sea port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included |

### **CIS, Export; CR coil, FOB**

#### **DataLab name:**

|                           |   |
|---------------------------|---|
| Grade/size:               | Cold-rolled Coil, Spot price; CIS, FOB  |
| Price basis:              | Commercial quality  |
|                           | FOB   |
| Loading/arrival location: | Black Sea port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included |

### **CIS, Export; Billet, FOB**

#### **DataLab name:**

|                           |   |
|---------------------------|---|
| Grade/size:               | Billet, Spot price; CIS, FOB  |
| Price basis:              | 3SPPS   |
|                           | FOB   |
| Loading/arrival location: | Black Sea port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included |

### **CIS, Export; Rebar, FOB**

#### **DataLab name:**

|                           |   |
|---------------------------|---|
| Grade/size:               | Reinforcing Bar, Spot price; CIS, FOB   |
| Price basis:              | Commercial quality; 12mm diameter   |
|                           | FOB   |
| Loading/arrival location: | Black Sea port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included |

### **CIS, Export; LC wire rod, FOB**

|             |              |
|-------------|--------------|
| Grade/size: | Mesh quality |
|-------------|--------------|

|                           |  |
|---------------------------|--|
| Price basis:              | FOB  |
| Loading/arrival location: | Port   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Tonnes   |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Raw materials surcharges (where applicable) are included |

#### **CIS; M Bar; Export; FOB [Discontinued]**

|                           |  |
|---------------------------|--|
| Grade/size:               | Commercial quality                                       |
| Price basis:              | FOB  |
| Loading/arrival location: | Port   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Tonnes   |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Raw materials surcharges (where applicable) are included |

#### **CIS; Structural; Export; FOB [Discontinued]**

|                           |  |
|---------------------------|--|
| <b>DataLab name:</b>      | <b>Structurals, Spot price; CIS, FOB</b>                 |
| Grade/size:               | Commercial quality                                       |
| Price basis:              | FOB  |
| Loading/arrival location: | Port   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Tonnes   |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Raw materials surcharges (where applicable) are included |

## **Middle East Market Prices**

### **UAE; Rebar, delivered**

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <b>Reinforcing Bar, Spot price; UAE, delivered</b>                  |
| Grade/size:               | Commercial quality; 10 - 32mm diameter                              |
| Price basis:              | Delivered; theoretical weight                                       |
| Loading/arrival location: |   |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

### **Saudi Arabia; HR coil, delivered**

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <b>HR coil, Spot price; Saudi Arabia, delivered</b>                 |
| Grade/size:               | SAE1006 or equivalent   |
| Price basis:              | Delivered   |
| Loading/arrival location: | Riyadh  |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | SAR   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

## Asia Market Prices

### India, Mumbai; HR coil, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Hot-rolled Coil, Spot price; India, Mumbai, delivered                          |
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded         |
| Price basis:              | Delivered  |
| Loading/arrival location: | Mumbai, from mill or mill-owned service centre or retail outlet                |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | INR  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included |

### India, Mumbai; CR coil, delivered

|                           |   |
|---------------------------|---|
| DataLab name:             | Cold-rolled Coil, Spot price; India, Mumbai, delivered                                  |
| Grade/size:               | Commercial quality (Grade O, IS513); prime; base price; width and gauge extras excluded |
| Price basis:              | Delivered   |
| Loading/arrival location: | Mumbai, from mill or mill-owned service centre or retail outlet                         |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | INR   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included          |

### India, Mumbai; CR coil (Drawing grade), delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Cold-rolled Coil, Drawing grade, Spot price; India, Mumbai, delivered                    |
| Grade/size:               | Drawing quality (Grade D/CR2, IS513); prime; base price; width and gauge extras excluded |
| Price basis:              | Delivered  |
| Loading/arrival location: | Mumbai, from mill or mill-owned service centre or retail outlet                          |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | INR  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included           |

### India, Mumbai; HDG coil, delivered

|                           |   |
|---------------------------|---|
| DataLab name:             | Hot-dipped Galvanised Coil, Spot price; India, Mumbai, delivered  |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded; pure zinc coating of 120g/m2 on cold-rolled substrate; normal surface finish |
| Price basis:              | Delivered   |
| Loading/arrival location: | Mumbai, from mill or mill-owned service centre or retail outlet   |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | INR   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included  |

### India, Mumbai; Plate (Grade S355), delivered

|               |   |
|---------------|---|
| DataLab name: | Plate, Grade S355, Spot price; India, Mumbai, delivered           |
| Grade/size:   | Grade S355 (wind tower quality); base price; size extras excluded |
| Price basis:  | Delivered   |

|                           |  |
|---------------------------|--|
| Loading/arrival location: | Mumbai, from mill or mill-owned service centre or retail outlet                |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | INR  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included |

### India, Mumbai; Plate, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Plate, Spot price; India, Mumbai, delivered                                    |
| Grade/size:               | Commercial quality; base price; size extras excluded                           |
| Price basis:              | Delivered  |
| Loading/arrival location: | Mumbai, from mill or mill-owned service centre or retail outlet                |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | INR  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included |

### India, Mumbai; Rebar, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Reinforcing Bar, Spot price; India, Mumbai, delivered                          |
| Grade/size:               | Commercial quality; 12mm diameter  |
| Price basis:              | Delivered  |
| Loading/arrival location: | Mumbai   |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | INR  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included |

### India, Mumbai; LC wire rod, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Wire Rod, Low Carbon, Mesh grade, Spot price; India, Mumbai, delivered         |
| Grade/size:               | Mild steel   |
| Price basis:              | Delivered  |
| Loading/arrival location: | Mumbai   |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | INR  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included |

### India, Mumbai, HC Wire Rod, delivered

|                          |   |
|--------------------------|---|
| DataLab name:            | Wire Rod, High Carbon, 0.69-0.76% C, Spot price; India, Mumbai, delivered |
| Grade/Size               | 0.69-0.76% Carbon   |
| Price basis              | Delivered   |
| Loading/arrival location | Mumbai, India   |
| Delivery charges         | Included  |
| Type                     | Spot  |
| Quantity                 | Minimum 50 t  |
| Currency                 | Indian Rupee  |
| Weight Unit              | Tonnes  |
| Size/Tolerance           | Standard tolerances   |

|                |  |
|----------------|--|
| Timing         | Forward delivery   |
| Duties/Tariffs | Price is inclusive of GST; raw materials surcharge (where applicable) included |
| Payment Terms  | Letter of Credit (LC)/Cash   |

### India, Delhi; HR coil, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Hot-rolled Coil, Spot price; India, Delhi, delivered                           |
| Grade/size:               | Commercial quality; prime; base price; width and gauge extras excluded         |
| Price basis:              | Delivered  |
| Loading/arrival location: | Delhi, from mill or mill-owned service centre or retail outlet                 |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | INR  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included |

### India, Delhi; CR coil, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Cold-rolled Coil, Spot price; India, Delhi, delivered  |
| Grade/size:               | Commercial quality (Grade O, IS513); prime; annealed and tempered; base price; width and gauge extras excluded |
| Price basis:              | Delivered  |
| Loading/arrival location: | Delhi, from mill or mill-owned service centre or retail outlet   |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | INR  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included                                 |

### India, Delhi; HDG coil, delivered

|                           |   |
|---------------------------|---|
| DataLab name:             | Hot-dipped Galvanised Coil, Spot price; India, Delhi, delivered   |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded; pure zinc coating of 120g/m2 on cold-rolled substrate; normal surface finish |
| Price basis:              | Delivered   |
| Loading/arrival location: | Delhi, from mill or mill-owned service centre or retail outlet  |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | INR   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included  |

### India, Delhi; Rebar, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Reinforcing Bar, Spot price; India, Delhi, delivered                           |
| Grade/size:               | Commercial quality; 12mm diameter  |
| Price basis:              | Delivered  |
| Loading/arrival location: | Delhi  |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | INR  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included |

### India, Delhi; LC wire rod, delivered

|                           |  |
|---------------------------|--|
| DataLab name:             | Wire Rod, Low Carbon, Mesh grade, Spot price; India, Delhi, delivered          |
| Grade/size:               | Mild steel   |
| Price basis:              | Delivered  |
| Loading/arrival location: | Delhi  |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | INR  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Price is inclusive of GST; raw materials surcharge (where applicable) included |

### India, East Coast, HR Coil, Export, FOB

|                          |  |
|--------------------------|--|
| DataLab name:            | Hot-rolled Coil, Spot price; India, East Coast, FOB                |
| Grade/Size               | SAE1006 or equivalent  |
| Price basis              | FOB  |
| Loading/arrival location | East Coast India   |
| Delivery charges         | Excluded   |
| Type                     | Spot   |
| Quantity                 | Minimum 10,000 t   |
| Currency                 | US Dollar  |
| Weight Unit              | Tonnes   |
| Size/Tolerance           | Width 1250-1500 mm   |
| Timing                   | 3-8 weeks  |
| Duties/Tariffs           | Taxes excluded; raw material surcharge (where applicable) included |
| Payment Terms            | Letter of Credit (LC)  |

### India, East Coast, Billet, Export, FOB

|                          |  |
|--------------------------|--|
| DataLab name:            | Billet, Spot price; India, East Coast, FOB                         |
| Grade/Size               | Commercial quality (150x150 mm)                                    |
| Price basis              | FOB  |
| Loading/arrival location | East Coast India   |
| Delivery charges         | Excluded   |
| Type                     | Spot   |
| Quantity                 | Minimum 15,000 t   |
| Currency                 | US Dollar  |
| Weight Unit              | Tonnes   |
| Size/Tolerance           | Standard tolerances  |
| Timing                   | 3-8 weeks  |
| Duties/Tariffs           | Taxes excluded; raw material surcharge (where applicable) included |
| Payment Terms            | Letter of Credit (LC)  |

### China; HR coil, ex-Shanghai warehouse, 3.00mm

|                           |   |
|---------------------------|---|
| DataLab name:             | Hot-rolled Coil, 3.00mm, Spot price; China, ex-warehouse                          |
| Grade/size:               | Q235 commercial quality; 3.00mm gauge, 1,500mm width                              |
| Price basis:              | ex-warehouse  |
| Loading/arrival location: | Shanghai  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | RMB   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Frequency:                | Weekly, 5pm Shanghai timestamp on every Wednesday                                 |
| Duties/tariffs:           | Prevailing VAT rate included; raw materials surcharge (where applicable) included |

### China; HR coil, ex-Shanghai warehouse, 5.75mm

|               |  |
|---------------|--|
| DataLab name: | Hot-rolled Coil, 5.75mm, Spot price; China, ex-warehouse |
|---------------|--|

|                           |   |
|---------------------------|---|
| Grade/size:               | Q235 commercial quality; 5.75mm gauge, 1,500mm width                              |
| Price basis:              | ex-warehouse  |
| Loading/arrival location: | Shanghai  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | RMB   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Frequency:                | Daily, 5pm Shanghai timestamp every day   |
| Duties/tariffs:           | Prevailing VAT rate included; raw materials surcharge (where applicable) included |

### China; CR coil, ex-Shanghai warehouse

|                           |   |
|---------------------------|---|
| DataLab name:             | <a href="#">Cold-rolled Coil, Spot price; China, ex-warehouse</a>                 |
| Grade/size:               | ST12 commercial quality; 1mm gauge, 1,250mm width                                 |
| Price basis:              | ex-warehouse  |
| Loading/arrival location: | Shanghai  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | RMB   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Frequency:                | Weekly, 5pm Shanghai timestamp on every Wednesday                                 |
| Duties/tariffs:           | Prevailing VAT rate included; raw materials surcharge (where applicable) included |

### China; HDG coil, ex-Shanghai warehouse

|                           |  |
|---------------------------|--|
| DataLab name:             | <a href="#">Hot-dipped Galvanised Coil, Spot price; China, ex-warehouse</a>  |
| Grade/size:               | ST02 commercial quality; 1mm gauge, 1,250mm width; pure zinc coating of 80-120g/m2; normal surface finish; further width and gauge extras excluded |
| Price basis:              | ex-warehouse   |
| Loading/arrival location: | Shanghai   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | RMB  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Frequency:                | Weekly, 5pm Shanghai timestamp on every Wednesday  |
| Duties/tariffs:           | Prevailing VAT rate included; raw materials surcharge (where applicable) included  |

### China; Plate, ex-Shanghai warehouse

|                           |   |
|---------------------------|---|
| DataLab name:             | <a href="#">Plate, Spot price; China, ex-warehouse</a>                            |
| Grade/size:               | Q235A commercial quality; 20mm thickness  |
| Price basis:              | ex-warehouse  |
| Loading/arrival location: | Shanghai  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | RMB   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Frequency:                | Weekly, 5pm Shanghai timestamp on every Wednesday                                 |
| Duties/tariffs:           | Prevailing VAT rate included; raw materials surcharge (where applicable) included |

### China; Billet, ex-mill Tangshan

|               |  |
|---------------|--|
| DataLab name: | <a href="#">Billet, Spot price; China, Tangshan, ex-mill</a> |
| Grade/size:   | Q235; 150 x 150mm  |
| Price basis:  | ex-mill  |

|                           |   |
|---------------------------|---|
| Loading/arrival location: | Tangshan  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | RMB   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Frequency:                | Weekly, 5pm Shanghai timestamp on every Wednesday                                 |
| Duties/tariffs:           | Prevailing VAT rate included; raw materials surcharge (where applicable) included |

### China; Rebar, EXW

|                           |   |
|---------------------------|---|
| DataLab name:             | Reinforcing Bar, Spot price; China, EXW   |
| Grade/size:               | HRB 400 commercial quality; 16-22mm diameter rebar                                |
| Price basis:              | EX Works  |
| Loading/arrival location: | Eastern China   |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | RMB   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Frequency:                | Daily 5pm Shanghai timestamp everyday   |
| Duties/tariffs:           | Prevailing VAT rate included; raw materials surcharge (where applicable) included |

### China; LC wire rod, ex-Shanghai warehouse

|                           |   |
|---------------------------|---|
| DataLab name:             | Wire Rod, Low Carbon, Mesh grade, Spot price; China, ex-warehouse                 |
| Grade/size:               | HPB 300 commercial quality; 6.5mm diameter  |
| Price basis:              | ex-warehouse  |
| Loading/arrival location: | Shanghai  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | RMB   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Main consumer market:     | Construction use  |
| Frequency:                | Weekly, 5pm Shanghai timestamp on every Wednesday                                 |
| Duties/tariffs:           | Prevailing VAT rate included; raw materials surcharge (where applicable) included |

### China; High-carbon wire rod, ex-works East China

|                           |   |
|---------------------------|---|
| DataLab name:             | Wire Rod, High Carbon, 0.69-0.76% C, Spot price; China, East, ex-mill |
| Grade/size:               | 0.69-0.76% C  |
| Price basis:              | ex-works of east China  |
| Loading/arrival location: | east China  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | RMB   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Frequency:                | Weekly, 5pm Shanghai timestamp on every Wednesday                     |
| Duties/tariffs:           | Prevailing VAT rate included  |

### China; Merchant bar, ex-Shanghai warehouse

|                           |   |
|---------------------------|---|
| DataLab name:             | Merchant Bar, Spot price; China, ex-warehouse |
| Grade/size:               | Q235 commercial quality; 50mm equal angles    |
| Price basis:              | ex-warehouse                                  |
| Loading/arrival location: | Shanghai                                      |
| Delivery charges:         | Excluded                                      |
| Type:                     | Spot  |

|                 |  |
|-----------------|--|
| Currency:       | RMB  |
| Weight Unit:    | Tonnes   |
| Size/tolerance: | Standard tolerances  |
| Timing:         | Forward delivery   |
| Frequency:      | Weekly, 5pm Shanghai timestamp on every Wednesday                                |
| Duties/tariffs: | Prevailing VAT rate included; raw materials surcharge (where applicable) include |

### China; Structurals, ex-Shanghai warehouse

|                           |  |
|---------------------------|--|
| DataLab name:             | Structurals, Spot price; China, ex-warehouse                                     |
| Grade/size:               | Q235 commercial quality; 200 x 200 mm sections                                   |
| Price basis:              | ex-warehouse   |
| Loading/arrival location: | Shanghai   |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | RMB  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Frequency:                | Weekly, 5pm Shanghai timestamp on every Wednesday                                |
| Duties/tariffs:           | Prevailing VAT rate included; raw materials surcharge (where applicable) include |

### China, Export; HR coil FOB Tianjin

|                   |  |
|-------------------|--|
| DataLab name:     | Hot-rolled Coil, Spot price; China, FOB  |
| Grade/size:       | SS400 commercial quality or equivalent; prime; base price; width and gauge extras excluded |
| Price basis:      | FOB Tianjin  |
| Loading location: | Chinese ports  |
| Delivery charges: | Excluded   |
| Type:             | Spot   |
| Currency:         | US dollar  |
| Weight Unit:      | Metric tonnes  |
| Size/tolerance:   | Width 1,250 – 1,500mm, Thickness 3.0mm; standard packaging; standard tolerances            |
| Minimum shipment: | 5,000t   |
| Timing:           | 3-8 weeks  |
| Payment terms:    | Letter of credit (LC)  |
| Duties/tariffs:   | Prevailing VAT rate included, less VAT rebate where applicable.                            |
| Frequency:        | Daily, 5pm Shanghai timestamp every day  |

### China, Export; CR coil FOB Tianjin

|                   |  |
|-------------------|--|
| DataLab name:     | Cold-rolled Coil, Spot price; China, FOB   |
| Grade/size:       | SPCC commercial quality or equivalent; prime; annealed and tempered; base price; width and gauge extras excluded |
| Price basis:      | FOB Tianjin  |
| Loading location: | Chinese ports  |
| Delivery charges: | Excluded   |
| Type:             | Spot   |
| Currency:         | US dollar  |
| Weight Unit:      | Metric tonnes  |
| Size/tolerance:   | Width 1,250mm, Thickness 1.0mm; standard packaging; standard tolerances  |
| Minimum shipment: | 1,000t   |
| Timing:           | 3-8 weeks  |
| Payment terms:    | Letter of credit (LC)  |
| Duties/tariffs:   | Prevailing VAT rate included, less VAT rebate where applicable..   |
| Frequency:        | Weekly, 5pm Shanghai timestamp every Thursday  |

### China, Export; HDG coil FOB Tianjin

|               |  |
|---------------|--|
| DataLab name: | Hot-dipped Galvanised Coil, Spot price; China, FOB   |
| Grade/size:   | SGCC commercial quality or equivalent; base price; 1.00mm gauge; pure zinc coating (120g/m2); normal surface finish; further width and gauge extras excluded |

|                   |  |
|-------------------|--|
| Price basis:      | FOB Tianjin  |
| Loading location: | Chinese ports  |
| Delivery charges: | Excluded   |
| Type:             | Spot   |
| Currency:         | US dollar  |
| Weight Unit:      | Metric tonnes  |
| Size/tolerance:   | Width 1,250mm, Thickness 1.00mm; standard packaging; standard tolerances |
| Minimum shipment: | 2,000t   |
| Timing:           | 3-12 weeks   |
| Payment terms:    | Letter of credit (LC)  |
| Duties/tariffs:   | Prevailing VAT rate included, less VAT rebate where applicable.          |
| Frequency         | Weekly, 5pm Shanghai timestamp every Thursday                            |

### China, Export; Medium plate FOB Tianjin

|                      |  |
|----------------------|--|
| <b>DataLab name:</b> | <b>Plate, Spot price; China, FOB</b>   |
| Grade/size:          | SS400 or similar; base price; normal surface finish; excl coating; width and gauge extras. |
| Price basis:         | FOB Tianjin  |
| Loading location:    | Chinese ports  |
| Delivery charges:    | Excluded   |
| Type:                | Spot   |
| Currency:            | US dollar  |
| Weight Unit:         | Metric tonnes  |
| Size/tolerance:      | Width 2,700mm+, Thickness 14-20mm, standard packaging; standard tolerances                 |
| Minimum shipment:    | 1,000t   |
| Timing:              | 0-2 months   |
| Payment terms:       | Letter of credit (LC)  |
| Duties/tariffs:      | Prevailing VAT rate included, less VAT rebate where applicable.                            |
| Frequency            | Weekly, 5pm Shanghai timestamp every Thursday  |

### China, Export; Billet, FOB

|                           |  |
|---------------------------|--|
| <b>DataLab name:</b>      | <b>Billet, Spot price; China, FOB</b>  |
| Grade/size:               | Q235; 150 x 150mm  |
| Price basis:              | FOB  |
| Loading/arrival location: | Tianjin  |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Prevailing VAT rate included, less VAT rebate where applicable; raw materials surcharges (where applicable) are included |
| Frequency                 | Monthly, 5pm Shanghai timestamp of first Wednesday of every month  |

### China, Export; Rebar, FOB

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <b>Reinforcing Bar, Spot price; China, FOB</b>                      |
| Grade/size:               | B500B commercial quality; base price; prime                         |
| Price basis:              | FOB East China ports  |
| Loading/arrival location: | Chinese ports   |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Metric tonnes (theoretical weight basis)                            |
| Size/tolerance:           | 12-16mm diameter, 12m long, standard packaging, standard tolerances |
| Minimum shipment:         | 5,000t  |
| Timing:                   | 4-8 weeks   |

|                 |   |
|-----------------|---|
| Payment terms:  | Letter of credit (LC)   |
| Duties/tariffs: | Prevailing VAT rate included, less VAT rebate where applicable. |
| Frequency       | Weekly, 5pm Shanghai timestamp every Thursday                   |

### China, Export; LC wire rod, FOB

|                           |  |
|---------------------------|--|
| DataLab name:             | Wire Rod, Low Carbon, Mesh grade, Spot price; China, FOB       |
| Grade/size:               | SAE 1008 mesh quality wire rod; base price; prime              |
| Price basis:              | FOB North China Port   |
| Loading/arrival location: | Chinese ports  |
| Delivery charges:         | Excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Metric tonnes  |
| Size/tolerance:           | 6.5mm diameter, standard packaging, standard tolerances        |
| Minimum shipment:         | 3,000t   |
| Timing:                   | 3-12 weeks   |
| Payment:                  | Letter of credit (LC)  |
| Main consumer market:     | Construction use   |
| Duties/tariffs:           | Prevailing VAT rate included, less VAT rebate where applicable |
| Frequency                 | Weekly, 5pm Shanghai timestamp every Thursday                  |

### China, Export; High-carbon wire rod, FOB

|                           |   |
|---------------------------|---|
| DataLab name:             | Wire Rod, High Carbon, Spot price; China, FOB                     |
| Grade/size:               | SWRH 72B/82B wire rod; base price; prime                          |
| Price basis:              | FOB East China Port   |
| Loading/arrival location: | east Chinese ports  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Metric tonnes   |
| Size/tolerance:           | 6.5-13 mm diameter, standard packaging, standard tolerances       |
| Minimum shipment:         | 500t  |
| Timing:                   | 3-12 weeks  |
| Payment:                  | Letter of credit (LC)   |
| Duties/tariffs:           | Prevailing VAT rate included, less where VAT rebate is applicable |
| Frequency                 | Monthly, 5pm Shanghai timestamp on first Wednesday of every month |

### China, Export; Structurals, FOB

|                           |   |
|---------------------------|---|
| DataLab name:             | Structurals, Spot price; China, FOB   |
| Grade/size:               | Q235 commercial quality; 400mm sections   |
| Price basis:              | FOB   |
| Loading/arrival location: | East China port   |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | VAT rebates and export taxes taken into account where necessary; raw materials surcharges (where applicable) are included |
| Frequency                 | Weekly, 5pm Shanghai timestamp every Thursday   |

### China, Export; Structurals, UK grade, FOB East China port

|                   |   |
|-------------------|---|
| DataLab name:     | Structurals, UK grade, Spot price; China, FOB |
| Grade/size:       | S275 grade; small size sections               |
| Price basis:      | FOB Loading/arrival                           |
| Location:         | East China port                               |
| Delivery charges: | Excluded                                      |

|                 |  |
|-----------------|--|
| Type: Spot      | Currency: US dollar  |
| Weight Unit:    | Tonnes   |
| Size tolerance: | Standard tolerances  |
| Timing:         | Forward delivery   |
| Duties/tariffs: | VAT rebates and export taxes taken into account where necessary; raw materials surcharges (where applicable) are included CRU Prices |
| Frequency       | Weekly, 5pm Shanghai timestamp every Thursday  |

### Far East, Import; Slab (non-CIS origin), CFR

|                           |   |
|---------------------------|---|
| DataLab name:             | Slab, Spot price; Asia, non-CIS origin, CFR |
| Grade/size:               | Commercial quality; base price              |
| Price basis:              | CFR   |
| Loading/arrival location: | E&SE Asian port                             |
| Delivery charges:         | Inland delivery charges excluded            |
| Type:                     | Spot  |
| Currency:                 | US dollar                                   |
| Weight Unit:              | Tonnes                                      |
| Timing:                   | Forward delivery                            |
| Payment terms:            | Letter of credit (LC)                       |

### Far East, Import; HR coil, CFR

|                  |  |
|------------------|--|
| DataLab name:    | Hot-rolled Coil, Spot price; Asia, non-CIS origin, CFR |
| Grade:           | SAE1006 or equivalent;                                 |
| Price basis:     | CFR  |
| Origin:          | Open   |
| Destination:     | Far East   |
| Port Basis:      | South East Asia  |
| Inland delivery: | Excluded   |
| Type:            | Spot   |
| Currency:        | US Dollar  |
| Weight Unit:     | Tonnes   |
| Weight basis:    | Actual   |
| Size/tolerance:  | Width 1,250 – 1,500mm                                  |
| Coil Weight:     | 15-25 tonnes   |
| Thickness:       | 2.0-2.5mm  |
| Shipment time:   | 3-8 weeks  |
| Payment terms:   | Letter of credit (LC)                                  |

### Far East, Import; CR coil, CFR

|                  |   |
|------------------|---|
| DataLab name:    | Cold-rolled Coil, Spot price; Asia, non-CIS origin, CFR         |
| Grade/size:      | SPCC commercial quality or equivalent;                          |
| Price basis:     | CFR   |
| Origin:          | Open  |
| Destination:     | Far East  |
| Port Basis:      | South East Asia   |
| Inland delivery: | Excluded  |
| Type:            | Spot  |
| Currency:        | US Dollar   |
| Weight Unit:     | Tonnes  |
| Weight basis:    | Actual  |
| Size/tolerance:  | Width 1,250mm, Thickness 1.0mm;                                 |
| Technical basis: | Annealed and tempered; standard packaging; standard tolerances; |
| Shipment time:   | 3-8 weeks   |
| Payment terms:   | Letter of credit (LC)   |

### Far East, Import; HDG coil, CFR

|               |   |
|---------------|---|
| DataLab name: | Hot-dipped Galvanised Coil, Spot price; Asia, non-CIS origin, CFR |
| Grade/size:   | SGCC commercial quality or equivalent;                            |
| Price basis:  | CFR   |

|                  |  |
|------------------|--|
| Origin:          | Open   |
| Destination:     | Far East   |
| Port Basis:      | South East Asia  |
| Inland delivery: | Excluded   |
| Type:            | Spot   |
| Currency:        | US Dollar  |
| Weight Unit:     | Tonnes   |
| Weight basis:    | Actual   |
| Size/tolerance:  | Width 1,250mm, Thickness 1.00mm;   |
| Technical basis: | Pure zinc coating (80g/m2 total for both sides of coil); normal surface finish; standard packaging; standard tolerances; |
| Shipment time:   | 3-12 weeks   |
| Payment terms:   | Letter of credit (LC)  |

### Far East, Import; Plate (non-CIS origin), CFR

|                           |  |
|---------------------------|--|
| <b>DataLab name:</b>      | <a href="#">Plate, Spot price; Asia, non-CIS origin, CFR</a>                               |
| Grade/size:               | ASTM A36 commercial quality; base price; 10 - 40mm thickness; further size extras excluded |
| Price basis:              | CFR  |
| Loading/arrival location: | E&SE Asian port; non-CIS origin  |
| Delivery charges:         | Inland delivery charges excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Payment terms:            | Letter of credit (LC)  |

### Far East, Import; Billet (non-CIS origin), CFR *[Discontinued]*

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <a href="#">Billet, Spot price; Asia, non-CIS origin, CFR</a>   |
| Grade/size:               | Commercial quality  |
| Price basis:              | CFR   |
| Loading/arrival location: | E&SE Asian port; non-CIS origin   |
| Delivery charges:         | Inland delivery charges excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Import duties, traders' commissions, local taxes; raw materials surcharge (where applicable) included |
| Payment terms:            | Letter of credit (LC)   |

### Far East, Import; Billet, CFR

|                      |   |
|----------------------|---|
| <b>DataLab name:</b> | <a href="#">Billet, Spot price; Asia, non-CIS origin, CFR</a> |
| Grade:               | 3SP/5SP or equivalent;  |
| Size:                | 120-165mm square; 12m long;                                   |
| Price basis:         | CFR   |
| Origin:              | Open  |
| Destination:         | Far East  |
| Port Basis:          | South East Asia   |
| Inland delivery:     | Excluded  |
| Type:                | Spot  |
| Currency:            | US Dollar   |
| Weight Unit:         | Tonnes  |
| Weight basis:        | Actual  |
| Technical basis:     | Standard tolerances, EAF/BF basis.                            |
| Shipment time:       | 3 – 8 weeks   |
| Payment terms:       | Letter of credit (LC)   |

### Far East, Import; Rebar, CFR

|                  |  |
|------------------|--|
| DataLab name:    | Reinforcing Bar, Spot price; Asia, non-CIS origin, CFR |
| Grade:           | B500B or equivalent;                                   |
| Size/tolerance:  | 12-16mm diameter, 12m long                             |
| Price basis:     | CFR  |
| Origin:          | Open   |
| Destination:     | Far East   |
| Port Basis:      | South East Asia  |
| Inland delivery: | Excluded   |
| Type:            | Spot   |
| Currency:        | US Dollar  |
| Weight Unit:     | Tonnes   |
| Weight basis:    | Theoretical  |
| Technical basis: | Standard packaging, standard tolerances                |
| Shipment time:   | 3-8 weeks  |
| Payment terms:   | Letter of credit (LC)                                  |

### Far East, Import; LC wire rod (non-CIS origin), CFR

|                           |   |
|---------------------------|---|
| DataLab name:             | Wire Rod, Low Carbon, Mesh grade, Spot price; Asia, non-CIS origin, CFR |
| Grade/size:               | <0.23% C; mesh quality  |
| Price basis:              | CFR   |
| Loading/arrival location: | E&SE Asian port; non-CIS origin   |
| Delivery charges:         | Inland delivery charges excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Payment terms:            | Letter of credit (LC)   |

### Far East, Import; HC wire rod (non-CIS origin), CFR

|                           |  |
|---------------------------|--|
| DataLab name:             | Wire Rod, High Carbon, 0.45-0.70% C, Spot price; Asia, non-CIS origin, CFR |
| Grade/size:               | >0.44% C   |
| Price basis:              | CFR  |
| Loading/arrival location: | E&SE Asian port; non-CIS origin  |
| Delivery charges:         | Inland delivery charges excluded   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Tonnes   |
| Size/tolerance:           | Standard tolerances  |
| Timing:                   | Forward delivery   |
| Payment terms:            | Letter of credit (LC)  |

### Far East, Import; Merchant bar (non-CIS origin), CFR

|                           |   |
|---------------------------|---|
| DataLab name:             | Merchant Bar, Spot price; Asia, non-CIS origin, CFR |
| Grade/size:               | Commercial quality; 50mm equal angles               |
| Price basis:              | CFR   |
| Loading/arrival location: | E&SE Asian port; non-CIS origin                     |
| Delivery charges:         | Inland delivery charges excluded                    |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard lengths; standard tolerances               |
| Timing:                   | Forward delivery                                    |
| Payment terms:            | Letter of credit (LC)                               |

### Far East, Import; Structural, CFR

DataLab name: [Structurals, Spot price; Asia, non-CIS origin, CFR](#)

Grade: Q235 or equivalent;  
Price basis: CFR  
Origin: Open  
Destination: Far East  
Port Basis: South East Asia  
Inland delivery: Excluded  
Type: Spot  
Currency: US Dollar  
Weight Unit: Tonnes  
Weight basis: Theoretical  
Technical basis: Standard packaging, standard tolerances  
Shipment time: 3-8 weeks  
Payment terms: Letter of credit (LC)

### Far East, Import; HR coil (CIS origin), CFR *[Discontinued]*

DataLab name: [Hot-rolled Coil, Spot price; Asia, CIS origin, CFR](#)

Grade/size: Commercial quality; base price; size extras excluded  
Price basis: CFR  
Loading/arrival location: E&SE Asian port; CIS origin  
Delivery charges: Inland delivery charges excluded  
Type: Spot  
Currency: US dollar  
Weight Unit: Tonnes  
Size/tolerance: Standard tolerances  
Timing: Forward delivery  
Duties/tariffs: Import duties, traders' commissions, local taxes; raw materials surcharge (where applicable) included

### Far East, Import; CR coil (CIS origin), CFR *[Discontinued]*

DataLab name: [Cold-rolled Coil, Spot price; Asia, CIS origin, CFR](#)

Grade/size: Commercial quality; base price; size extras excluded  
Price basis: CFR  
Loading/arrival location: E&SE Asian port; CIS origin  
Delivery charges: Inland delivery charges excluded  
Type: Spot  
Currency: US dollar  
Weight Unit: Tonnes  
Size/tolerance: Standard tolerances  
Timing: Forward delivery  
Duties/tariffs: Import duties, traders' commissions, local taxes; raw materials surcharge (where applicable) included

### Far East, Import; HDG coil (CIS origin), CFR *[Discontinued]*

DataLab name: [Hot-dipped Galvanised Coil, Spot price; Asia, CIS origin, CFR](#)

Grade/size: Commercial quality; base price; width and gauge extras excluded; pure zinc coating of 80g/m<sup>2</sup> or equivalent; normal surface finish  
Price basis: CFR  
Loading/arrival location: E&SE Asian port; CIS origin  
Delivery charges: Inland delivery charges excluded  
Type: Spot  
Currency: US dollar  
Weight Unit: Tonnes  
Size/tolerance: Standard tolerances  
Timing: Forward delivery  
Duties/tariffs: Import duties, traders' commissions, local taxes; raw materials surcharge (where applicable) included

### Far East, Import, Billet, CFR

|                  |                                    |
|------------------|------------------------------------|
| DataLab name:    | Billet, Spot price; Asia, CFR      |
| Grade:           | 3SP/5SP or equivalent;             |
| Size:            | 120-165mm square; 12m long;        |
| Price basis:     | CFR                                |
| Origin:          | Open                               |
| Destination:     | Far East                           |
| Port Basis:      | South East Asia                    |
| Inland delivery: | Excluded                           |
| Type:            | Spot                               |
| Currency:        | US Dollar                          |
| Weight Unit:     | Tonnes                             |
| Weight basis:    | Actual                             |
| Technical basis: | Standard tolerances, EAF/BF basis. |
| Shipment time:   | 3 – 8 weeks                        |
| Payment terms:   | Letter of credit (LC)              |

### Far East, Import; Billet (CIS origin), CFR *[Discontinued]*

|                           |   |
|---------------------------|---|
| DataLab name:             | Billet, Spot price; Asia, CIS origin, CFR   |
| Grade/size:               | 3SPPS   |
| Price basis:              | CFR   |
| Loading/arrival location: | E&SE Asian port; CIS origin   |
| Delivery charges:         | Inland delivery charges excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Import duties, traders' commissions, local taxes; raw materials surcharge (where applicable) included |

### Japan, Export; HR coil, FOB

|                           |   |
|---------------------------|---|
| DataLab name:             | Hot-rolled Coil, Spot price; Japan, FOB                             |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded     |
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

### Japan, Export; CR coil, FOB

|                           |   |
|---------------------------|---|
| DataLab name:             | Cold-rolled Coil, Spot price; Japan, FOB                            |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded     |
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

### Japan, Export; HDG coil, FOB

|               |   |
|---------------|---|
| DataLab name: | Hot-dipped Galvanised Coil, Spot price; Japan, FOB              |
| Grade/size:   | Commercial quality; base price; width and gauge extras excluded |
| Price basis:  | FOB   |

|                           |                  |
|---------------------------|------------------|
| Loading/arrival location: | Port             |
| Delivery charges:         | Excluded         |
| Type:                     | Spot             |
| Currency:                 | US dollar        |
| Weight Unit:              | Tonnes           |
| Timing:                   | Forward delivery |

### Japan, Export; Plate, FOB

|                           |   |
|---------------------------|---|
| DataLab name:             | Plate, Spot price; Japan, FOB                                       |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded     |
| Price basis:              | FOB   |
| Loading/arrival location: | Port  |
| Delivery charges:         | Excluded  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included |

## Landed Import Prices

### Brazil, HR coil Landed Import Price in EU; Derived from Brazil, Export; HR coil, FOB

|                           |   |
|---------------------------|---|
| DataLab name:             | Hot-rolled Coil, Landed Import Price in EU; Brazil  |
| Grade/size:               | Commercial quality  |
| Price basis:              | DDP   |
| Loading/arrival location: | Ravenna Port/Northern Italy   |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included; tariffs are included |
| Calculation:              | Derived from Brazil, Export; HR coil, FOB   |

### Brazil, HR coil Landed Import Price in USA; Derived from Brazil, Export; HR coil, FOB

|                           |   |
|---------------------------|---|
| DataLab name:             | Hot-rolled Coil, Landed Import Price in USA; Brazil,  |
| Grade/size:               | Commercial quality  |
| Price basis:              | DDP   |
| Loading/arrival location: | Gulf Coast Port/ East of Rocky Mountains  |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included; tariffs are included |
| Calculation:              | Derived from Brazil, Export; HR coil, FOB   |

### Turkey, HR coil Landed Import Price in EU; Derived from Turkey, Export; HR coil, FOB

|                           |  |
|---------------------------|--|
| DataLab name:             | Hot-rolled Coil, Landed Import Price; Turkey                           |
| Grade/size:               | Commercial quality, prime, base price, width and gauge extras excluded |
| Price basis:              | DDP  |
| Loading/arrival location: | Ravenna Port/Northern Italy  |
| Delivery charges:         | Included   |
| Type:                     | Spot   |

|                 |  |
|-----------------|--|
| Currency:       | US dollar  |
| Weight Unit:    | Tonnes   |
| Timing:         | Forward delivery   |
| Duties/tariffs: | Raw materials surcharges (where applicable) are included, tariffs included |
| Calculation:    | Derived from Turkey, Export; HR coil, FOB                                  |

#### **Turkey, Rebar Landed Import Price in EU; Derived from Turkey, Export; rebar, FOB**

|                           |  |
|---------------------------|--|
| <b>DataLab name:</b>      | <a href="#">Reinforcing Bar, Landed Import Price in EU; Turkey</a>         |
| Grade/size:               | Commercial quality   |
| Price basis:              | DDP  |
| Loading/arrival location: | Antwerp Port/ Ruhr Valley  |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Tonnes   |
| Timing:                   | Forward delivery   |
| Duties/tariffs:           | Raw materials surcharges (where applicable) are included, tariffs included |
| Calculation:              | Derived from Turkey, Export; rebar, FOB                                    |

#### **Russia, HR coil Landed Import Prices in Turkey; Derived from CIS, Export; HR coil, FOB**

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <a href="#">Hot-rolled Coil, Landed Import Price in Turkey; Russia</a>  |
| Grade/size:               | Commercial quality, prime, base price, width and gauge extras excluded  |
| Price basis:              | DDP   |
| Loading/arrival location: | Port of Karadeniz Ereğli/ North Turkey  |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Size/tolerance:           | Standard tolerances   |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Traders' commissions are excluded; raw materials surcharges (where applicable) are included, tariffs included |
| Calculation:              | Derived from CIS, Export; HR coil, FOB  |

#### **India, East Coast, HR Coil, Landed Import Price in EU; Derived from India, East Coast, Export; HR coil, FOB**

|                          |   |
|--------------------------|---|
| <b>DataLab name:</b>     | <a href="#">Hot-rolled Coil, Spot price; India, East Coast, Landed Import Price in EU</a> |
| Grade/Size               | SAE1006 or equivalent   |
| Price basis              | DDP   |
| Loading/arrival location | Ravenna Port/Northern Italy   |
| Delivery charges         | Included  |
| Type                     | Spot  |
| Quantity                 | Minimum 10,000 t  |
| Currency                 | US Dollar   |
| Weight Unit              | Tonnes  |
| Size/Tolerance           | Width 1250-1500 mm  |
| Timing                   | 3-8 weeks   |
| Duties/Tariffs           | Taxes excluded; raw material surcharge (where applicable) included, tariffs included      |
| Payment Terms            | Letter of Credit (LC)   |
| Calculation:             | Derived from India, East Coast, Export; HR coil, FOB                                      |

#### **India, East Coast, HR Coil, Landed Import Price in Turkey; Derived from India, East Coast, Export; HR coil, FOB**

|                          |   |
|--------------------------|---|
| <b>DataLab name:</b>     | <a href="#">Hot-rolled Coil, Spot price; India, East Coast, Landed Import Price in Turkey</a> |
| Grade/Size               | SAE1006 or equivalent   |
| Price basis              | DDP   |
| Loading/arrival location | Port of Karadeniz Ereğli/ North Turkey  |
| Delivery charges         | Included  |
| Type                     | Spot  |

|                |  |
|----------------|--|
| Quantity       | Minimum 10,000 t   |
| Currency       | US Dollar  |
| Weight Unit    | Tonnes   |
| Size/Tolerance | Width 1250-1500 mm   |
| Timing         | 3-8 weeks  |
| Duties/Tariffs | Taxes excluded; raw material surcharge (where applicable) included, tariffs included |
| Payment Terms  | Letter of Credit (LC)  |
| Calculation:   | Derived from India, East Coast, Export; HR coil, FOB                                 |

### China, HR coil Landed Import Price in EU; Derived from China, Export; HR coil, FOB Tianjin

|                            |  |
|----------------------------|--|
| DataLab name:              | Hot-rolled Coil, Landed Import Price in EU; <a href="#">China</a>                          |
| Grade/size:                | SS400 commercial quality or equivalent; prime; base price; width and gauge extras excluded |
| Price basis:               | DDP  |
| Loading location:          | Chinese ports  |
| Loading/ arrival location: | Ravenna Port/Northern Italy  |
| Delivery charges:          | Included   |
| Type:                      | Spot   |
| Currency:                  | US dollar  |
| Weight Unit:               | Metric tonnes  |
| Size/tolerance:            | Width 1,250 – 1,500mm, Thickness 3.0mm; standard packaging; standard tolerances            |
| Minimum shipment:          | 5,000t   |
| Timing:                    | 3-8 weeks  |
| Payment terms              | Letter of credit (LC)  |
| Duties/tariffs:            | Prevailing VAT rate included, less VAT rebate where applicable. Tariffs included           |
| Frequency                  | Weekly, 3pm GMT Thursdays  |
| Calculation:               | Derived from China, Export; HR coil, FOB Tianjin   |

### China, HR coil Landed Import Price in USA; Derived from China, Export; HR coil, FOB Tianjin

|                            |  |
|----------------------------|--|
| DataLab name:              | Hot-rolled Coil, Landed Import Price in USA; <a href="#">China</a>                         |
| Grade/size:                | SS400 commercial quality or equivalent; prime; base price; width and gauge extras excluded |
| Price basis:               | DDP  |
| Loading location:          | Chinese ports  |
| Loading/ arrival location: | Gulf Coast Port/ East of Rocky Mountains   |
| Delivery charges:          | Included   |
| Type:                      | Spot   |
| Currency:                  | US dollar  |
| Weight Unit:               | Metric tonnes  |
| Size/tolerance:            | Width 1,250 – 1,500mm, Thickness 3.0mm; standard packaging; standard tolerances            |
| Minimum shipment:          | 5,000t   |
| Timing:                    | 3-8 weeks  |
| Payment terms              | Letter of credit (LC)  |
| Duties/tariffs:            | Prevailing VAT rate included, less VAT rebate where applicable. Tariffs included           |
| Frequency                  | Weekly, 3pm GMT Thursdays  |
| Calculation:               | Derived from China, Export; HR coil, FOB Tianjin   |

### China, HR coil Landed Import Price in Turkey; Derived from China, Export; HR coil, FOB Tianjin

|                            |  |
|----------------------------|--|
| DataLab name:              | Hot-rolled Coil, Landed Import Price in Turkey; <a href="#">China</a>                      |
| Grade/size:                | SS400 commercial quality or equivalent; prime; base price; width and gauge extras excluded |
| Price basis:               | DDP  |
| Loading location:          | Chinese ports  |
| Loading/ arrival location: | Port of Karadeniz Ereğli/ North Turkey   |
| Delivery charges:          | Included   |
| Type:                      | Spot   |
| Currency:                  | US dollar  |
| Weight Unit:               | Metric tonnes  |
| Size/tolerance:            | Width 1,250 – 1,500mm, Thickness 3.0mm; standard packaging; standard tolerances            |

|                   |  |
|-------------------|--|
| Minimum shipment: | 5,000t   |
| Timing:           | 3-8 weeks  |
| Payment terms     | Letter of credit (LC)  |
| Duties/tariffs:   | Prevailing VAT rate included, less VAT rebate where applicable. Tariffs included |
| Frequency         | Weekly, 3pm GMT Thursdays  |
| Calculation:      | Derived from China, Export; HR coil, FOB Tianjin                                 |

### **China, HDG coil Landed Import Price in EU; Derived from China, Export; HDG coil, FOB Tianjin**

|                            |   |
|----------------------------|---|
| <b>DataLab name:</b>       | <a href="#">Hot-dipped Galvanised Coil, Landed Import Price in EU; China</a>  |
| Grade/size:                | SGCC commercial quality or equivalent; base price; 1.00mm gauge; pure zinc coating (120g/m <sup>2</sup> ); normal surface finish; further width and gauge extras excluded |
| Price basis:               | DDP   |
| Loading location:          | Chinese ports   |
| Loading/ arrival location: | Ravenna Port/Northern Italy   |
| Delivery charges:          | Included  |
| Type:                      | Spot  |
| Currency:                  | US dollar   |
| Weight Unit:               | Metric tonnes   |
| Size/tolerance:            | Width 1,250mm, Thickness 1.00mm; standard packaging; standard tolerances  |
| Minimum shipment:          | 2,000t  |
| Timing:                    | 3-12 weeks  |
| Payment terms:             | Letter of credit (LC)   |
| Duties/tariffs:            | Prevailing VAT rate included, less VAT rebate where applicable. Tariffs included  |
| Frequency                  | Weekly, 3pm GMT every Thursday  |
| Calculation:               | Derived from China, Export; HDG coil, FOB Tianjin   |

### **China, Rebar Landed Import Price in EU; Derived from China, Export; Rebar, FOB**

|                           |  |
|---------------------------|--|
| <b>DataLab name:</b>      | <a href="#">Reinforcing Bar, Landed Import Price in EU; China, FOB</a>           |
| Grade/size:               | B500B commercial quality; base price; prime                                      |
| Price basis:              | DDP  |
| Loading/arrival location: | Antwerp Port/ Ruhr Valley  |
| Delivery charges:         | Included   |
| Type:                     | Spot   |
| Currency:                 | US dollar  |
| Weight Unit:              | Metric tonnes (theoretical weight basis)   |
| Size/tolerance:           | 12-16mm diameter, 12m long, standard packaging, standard tolerances              |
| Minimum shipment:         | 5,000t   |
| Timing:                   | 4-8 weeks  |
| Payment terms:            | Letter of credit (LC)  |
| Duties/tariffs:           | Prevailing VAT rate included, less VAT rebate where applicable. Tariffs included |
| Frequency                 | Weekly, 3pm GMT every Thursday   |
| Calculation:              | Derived from China, Export; Rebar, FOB   |

### **Japan, HR coil Landed Import Price in EU; Derived from Japan, Export; HR coil, FOB**

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <a href="#">Hot-rolled Coil, Landed Import Price in EU; Japan</a>                     |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded                       |
| Price basis:              | DDP   |
| Loading/arrival location: | Ravenna Port/Northern Italy   |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included, tariffs included |
| Calculation:              | Derived from Japan, Export; HR coil, FOB  |

### **Japan, HR coil Landed Import Price in USA; Derived from Japan, Export; HR coil, FOB**

|                      |  |
|----------------------|--|
| <b>DataLab name:</b> | <a href="#">Hot-rolled Coil, Landed Import Price in USA; Japan</a> |
| Grade/size:          | Commercial quality; base price; width and gauge extras excluded    |

|                           |   |
|---------------------------|---|
| Price basis:              | DDP   |
| Loading/arrival location: | Gulf Coast Port/ East of Rocky Mountains  |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included, tariffs included |
| Calculation:              | Derived from Japan, Export; HR coil, FOB  |

#### **Japan, HDG coil Landed Import Price in EU; Derived from Japan, Export; HDG coil, FOB**

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <a href="#">Hot-dipped Galvanised Landed Import Price in EU; Japan</a>                |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded                       |
| Price basis:              | DDP   |
| Loading/arrival location: | Ravenna Port/Northern Italy   |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included, tariffs included |
| Calculation:              | Derived from Japan, Export; HDG coil, FOB   |

#### **Japan, HDG coil Landed Import Price in USA; Derived from Japan, Export; HDG coil, FOB**

|                           |   |
|---------------------------|---|
| <b>DataLab name:</b>      | <a href="#">Hot-dipped Galvanised Landed Import Price in USA; Japan</a>               |
| Grade/size:               | Commercial quality; base price; width and gauge extras excluded                       |
| Price basis:              | DDP   |
| Loading/arrival location: | Gulf Coast Port/ East of Rocky Mountains  |
| Delivery charges:         | Included  |
| Type:                     | Spot  |
| Currency:                 | US dollar   |
| Weight Unit:              | Tonnes  |
| Timing:                   | Forward delivery  |
| Duties/tariffs:           | Taxes excluded; raw materials surcharge (where applicable) included, tariffs included |
| Calculation:              | Derived from Japan, Export; HDG coil, FOB   |

## Glossary of abbreviations

### INCO TERM RULES FOR ANY MODE OR MODES OF TRANSPORT:

- EXW – Ex-Works
- FCA – Free Carrier
- CPT – Carriage Paid To
- CIP – Carriage and Insurance Paid To
- DAT – Delivered at Terminal
- DAP – Delivered at Place
- DDP – Delivered Duty Paid

### INCO TERM RULES FOR SEA AND INLAND WATERWAY TRANSPORT:

- FAS – Free Alongside Ship
- FOB – Free On Board
- CFR – Cost and Freight
- CIF – Cost Insurance and Freight

### COUNTRY ABBREVIATIONS USED:

We use ISO 3166 alpha-2 standard country codes